

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: McPherson	SW 1/4 SE 1/4 NE 1/4	21	T 20 S	R 3

Distance and direction from nearest town or city street address of well if located within city?

1 Mile West &amp; 1/2 mile north of Elyria, KS

2 WATER WELL OWNER: Rod Green	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: 1531 Trail North	Application Number:
City, State, ZIP Code: McPherson, KS 67460	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 89 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. 42 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 42 ft. below land surface measured on mo/day/yr 7-10-92 Pump test data: Well water was ft. after hours pumping gpm Est. Yield 30-50 gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 8 in. to 90 ft., and in. to ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	10 Asbestos-cement
Blank casing diameter 5 in. to 79 ft. Dia. in. to ft. Dia. in. to ft.			
Casing height above land surface 12 in. weight 2.37 lbs./ft. Wall thickness or gauge No. 214			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	11 Other (specify)	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From 79 ft. to 89 ft.	From ft. to ft.	
GRAVEL PACK INTERVALS:	From 25 ft. to 89 ft.	From ft. to ft.	

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
GROUT INTERVALS:	From 5 ft. to 25 ft.	From ft. to ft.	From ft. to ft.	From ft. to ft.
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
Direction from well? West				How many feet? 100ft

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	Top Soil			
1	4	Dark Brown Clay			
4	11	Gray Clay			
11	12	Light Brown Clay			
12	15	Tan Clay			
15	27	Orange Bench Clay			
27	49	Brown Clay/Streaks of Fine Sand			
49	55	Fractured Limestone/Med. Sands			
55	62	Medium Sands			
62	70	Silty Tan Clay			
70	90	Medium Sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7-10-92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/yr) 7-17-92 under the business name of Peterson Irrigation Inc. by (signature) Mike Peterson
--