| | | ER WELL RECORD Form W | WC-5 KSA 82a | -1212 | |
|--|----------------------------------|---|---------------------------------|---------------------------------|--|
| 1 LOCATION OF WA | TER WELL: Fraction | | Section Number | Township Number | Range Number |
| County: | ey Mulherson SE | 1/4 SW 1/4 SE 1/4 | 25 | T 20 S | R 3 🚳 |
| Distance and direction | from nearest town or city street | address of well if located within 5 of Elynna | city? | | |
| 2 WATER WELL OV | | ner | | | |
| RR#, St. Address, Bo | | 9 | | Doord of Assistables | Division of Motor Passauras |
| City, State, ZIP Code | • • | | | _ | Division of Water Resources |
| | OCATION WITH DEPTH OF | 63 | | Application Number: | |
| AN "X" IN SECTIO | OCATION WITH 4 DEPTH OF | idwater Encountered 1 | π. ELEVA | 11ON: | |
| - | | C WATER LEVEL 36 | | | |
| | | np test data: Well water was | | | |
| NW | | gpm: Well water was | | | |
| | | neter8in. to | | | |
| M 1 | | | | | Injection well |
| - | Domestic | | | 9 Dewatering 12 | • |
| SW | SE 2 Irrigation | | | 0 Monitoring well | |
| | Was a chemica | I/bacteriological sample submitte | | • | |
| <u> </u> | mitted | , , , , , , , , , , , , , , , , , , , | • | ter Well Disinfected? Yes | |
| 5 TYPE OF BLANK | CASING USED: | 5 Wrought iron 8 | Concrete tile | CASING JOINTS: Glu | ed . t Clamped |
| 1 Steel | 3 RMP (SR) | 6 Asbestos-Cement 9 | Other (specify below | | ded |
| Ø PVC | 4 ABS | 7 Fiberglass | | Thr | eaded |
| Blank casing diameter | · | ft., Dia | in. to | ft., Dia | . in. to ft. |
| Casing height above I | and surface | in., weight 2.7 7 | | t. Wall thickness or gauge | No <i>[6.0</i> |
| TYPE OF SCREEN O | R PERFORATION MATERIAL: | (| D PVC | 10 Asbestos-cen | nent |
| 1 Steel | 3 Stainless steel | 5 Fiberglass | 8 RMP (SR) | 11 Other (specify | /) |
| 2 Brass | 4 Galvanized steel | 6 Concrete tile | 9 ABS | 12 None used (d | • |
| | RATION OPENINGS ARE: | 5 Gauzed wrap | | 8 Saw cut | 11 None (open hole) |
| 1 Continuous slo | | 6 Wire wrapped | | 9 Drilled holes | |
| 2 Louvered shut | | 7 Torch cut | 3 | 10 Other (specify) | |
| SCREEN-PERFORAT | | .5.7ft. to6. | .Y ft., Fron | n , | toft. |
| CDAVEL DA | | ft. to 3 | | | |
| GIAVEETA | | 35 ft. to 64 | | | to ft. |
| 6 GROUT MATERIAL | | 2 Cement grout | | | |
| Grout Intervals: Fro | m | ft. From 30 | ft. to 3.5 | ft. From | ft. toft. |
| | ource of possible contamination: | | | | Abandoned water well |
| 1 Septic tank | 4 Lateral lines | 7 Pit privy | | , | Oil well/Gas well |
| 2 Sewer lines 5 Cess pool | | Sewage lagoon | | | Other (specify below) |
| 3 Watertight sew | ver lines 6 Seepage pit | 9 Feedyard | | ticide storage | |
| Direction from well? | SW | • | How man | • | |
| FROM TO | LITHOLOGIC | LOG FRO | | | INTERVALS |
| 0 17 | Br Clay | | | | |
| 17 21 | | | | | |
| 21 41 | Br Clay | | | | |
| 41 50 | F Sand | | | | |
| 50 64 | Sand + Sm Gra | ue/ | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | THE RESERVE OF THE PERSON OF T |
| 7 CONTRACTOR'S | OD LANDOWNED'S CERTIFICAT | ION: This water well | notrusted (C) | notrusted == (0) =1 ====1 | alor my haladalar and a |
| 7 CONTRACTOR'S (| OR LANDOWNER'S CERTIFICAT | ION: This water well was | onstructed, (2) reco | nstructed, or (3) plugged ur | ider my jurisdiction and was |
| completed on (mo/day/ | (veer) 7_/1 -74 | | وحموه منطة لممو | ed to true to the best of week. | nowlodgo and balick Valer |
| | year) 7-13-14 | | | | |
| Water Well Contractor' | s License No 4.4.7 | This Water Well Reco | rd was completed o | on (mo/day/yr)2.7 | nowledge and belief. Kansas |
| Water Well Contractor' under the business na | s License No | This Water Well Reco | rd was completed of by (signate | on (mo/day/yr) 2 ure) Sull | 6-94 |