			WATER	R WELL RECORD F	orm WWC-5	KSA 82	a-1212		
	ON OF WA		Fraction	m h		tion Number			Range Number
		SrSon	1 ne 1/4	1/W 1/4 /16		39	T 20	S	R 3 E(V)
Distance and direction from nearest town or city street address of well if located within city?									
2 WATER	R WELL OW	NER: Harm	Kruhl	اعزر					
	Address, Box		, lik Chi				Board of Ag	iculture F	Division of Water Resources
	, ZIP Code	man	herena	Ks 6746	0		Application N		orvision of water mesources
3 LOCATE	E WELL'S L	OCATION WITH	DEPTH OF CO	OMPLETED WELL	72	ft FI FV/	ATION:	tombor.	
☐ AN "X"	IN SECTION	BOX:	enth(s) Ground	water Encountered 1.,	5.	3 " " " " " " " " " " " " " " " " " " "	2	ft 3	- #
т Г	1								5-16-85
l I	1			•	-				mping gpm
	- NW	NE E	st. Yield 3	S. gpm; Well water	was	ft. a	after	hours pur	mping gpm
ا بناف	i	B	ore Hole Diame	ter	72	۰ft.,	and	in.	toft.
Mile N	!	i j^v	VELL WATER TO	O BE USED AS: 5	Public wate	r supply	8 Air conditioning	11 !	njection well
lī L	sw	- SF	1 Domestic	3 Feedlot 6	Oil field wat	er supply	9 Dewatering	12 (Other (Specify below)
	1	1	2 Irrigation				10 Observation well		
Į Ľ			Vas a chemical/b nitted	eacteriological sample su	bmitted to De		esNoX	•	mo/day/yr sample was sub- No
5 TYPE (OF BLANK (ASING USED:		5 Wrought iron	8 Concre				X Clamped
1 Ste		3 RMP (SR)		6 Asbestos-Cement		specify belo			ed
2_P\	/C	4 ABS		7 Fiberglass					ded
Blank casi	ng diameter	5 ir	1, to 5.2	ft., Dia	in. to.		ft., Dia	i	n. to ft.
Blank casing diameter 5. in. to 5.2. ft., Dia in. to ft. Casing height above land surface 1.2. in., weight C/a-99/16.0. Ibs./ft. Wall thickness or gauge No. 2.14.									
TYPE OF	SCREEN O	R PERFORATION	MATERIAL:		7 PV	<u></u>	10 Asbes	tos-ceme	nt
1 Ste	eel	3 Stainless s	steel	5 Fiberglass	8 RM	P (SR)	11 Other	(specify)	
2 Bra		4 Galvanized		6 Concrete tile	9 AB	S	12 None	used (ope	en hole)
		RATION OPENING			wrapped		8 Saw cut		11 None (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
			From	ft. to	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ft., Fro		ft. to	
6 GROUT	MATERIAL	: 1 Neat ce	ment :	2 Cement grout	3 Bento				
Grout Intervals: From Oft. toft., Fromft. toft., Fromft.									
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well									
1 Septic tank 4 Lateral lines			7 Pit privy 11 Fuel:			storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool			8 Sewage lagoo	8 Sewage lagoon 12 Fertili			16 Ot	ther (specify below)	
3 Watertight sewer lines 6 Spepage pit 9 Feedyard 13 Insecticide storage									
Direction f		7,	1.171101.0010.1		1		iny feet? 50	+	
FROM	25-	Valla	LITHOLOGIC L		FROM	то	LI	THOLOG	C LOG
	دير	y 2/10	w Clay	/					
25	30	fine	Cand		İ				
α			SWHU						
30	50	Clar	Red	Grav					
50	72	fine t	omed	ium Sand					
,									
					ļ				
]									
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)									
Water Well Contractor's License No									
					ii Hecord was	•	1/2 1/3	a CD	
INSTRUC	Dusiness nai TIONS: Lise	me of Bac	int pen PIFASE	PRESS FIRM Vand	PRINT clearly		n blanks, underline or		correct answers. Send ton
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL									
OWNER and retain one for your records.									