*			WAT	ER WELL RECORD					
_		ATER WELL:	Fraction			tion Number		Range Number	
	McPhers		SW ½		SE ¼	5	T 20 S	R 3 E(W)	
		n from nearest to Rd., McPherso		address of well if loo	cated within city	?			
2 WATE	R WELL O	WNER: Nationa	l Cooperativ	e Refinery Associ	iation				
	RR#, St. Address, Box# : 1391 Ironhorse Road Board of Agriculture, Division of Water Resources								
	, ZIP Code		son, Kansas				Application Number:	10,011 01 7 10,01 7 10,00 0.7	
	LOCATE WELL'S LOCATION 4 DEPTH OF COMPLETED WELL 115 ft. ELEVATION: 1494.16								
WITH AN "X" IN SECTION BOX: Depth (c) Groundwater Engagnetisted 1 92 # 3 # 3									
Тг	WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr								
Τ	Pump test data: Well water was NA ft. after hours pumping gpm								
	NW NE NE Est. Yield NA gpm: Well water was ft. after hours pumping gpm								
υ	Bore Hole Diameter								
Wile W	W L 1 L L L L L L L L L L L L L L L L L								
7	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								
	- sw	s¦X	1 Domestic						
	**		2 Irrigation	4 industrial	Lawn and ga	Departmen	10 Monitoring wall	moldaylyr sample was	
<u> </u>	3	<u> </u>	submitted	arbacter tological sail	ipie subitiitted to		ater Well Disinfected? Yes	No √	
- TYPE	OF DUANK	CACINO LICED.		E Manualtinan	9. Camar			ed Clamped	
Ľ		CASING USED:	<b>3</b> \	5 Wrought iron		ete tile (specify belo		ded Clamped	
1 Si		3 RMP (SF	9	6 Asbestos-Ceme				eaded. 🗸	
1 120 1 120 1 120 1 120 1 1 1 1 1 1 1 1									
Blank casing diameter									
l				. In., weight					
ł		R PERFORATION		an part)	(7)PV		10 Asbestos-cen		
1 St		3 Stainless		<del>-</del>	8 RM			y)	
2 Bi		4 Galvanize		0 001101010	9 AB	S	12 None used (o		
		RATION OPENING			uzed wrapped		8 Saw cut	11 None (open hole)	
	ontinuous s				re wrapped		9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 75. ft. to 115. ft., From ft. to ft. to ft.   From ft. to ft. ft. from ft. ft.<									
GRAVEL PACK INTERVALS: From									
GRAVEL PACK INTERVALS: From									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete									
Grout Intervals: From									
What is th	e nearest s	ource of possible	contamination:				•	Abandoned water well	
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well									
								Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage									
Direction 1			LITTION CO.	100		How ma	_ ·	INITEDIVALS	
FROM	то	D. 41. 1	LITHOLOGIC	LOG	FROM	ТО	PLUGGING	INIERVALO	
0	4	Pothole excav							
4	10	Clay, silty, Da				-			
10	20	Clay, silty, Br							
20	30	Clay, silty, Lt							
30	50	Silt, clayey, L					7.0		
50	70	Sand, silty, Lt							
70	90	Sand, Lt. Bro							
90	95	Sand, clayey,							
95	115	Sand, silty, Lt	. Brown						
						ļ			
							LF-12 , Abovegrade		
							Project Name: NCRA Refine	ry - Trihydro	
							GeoCore # 875, #		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction									
and was completed on (mo/day/year)									
Kansas Water Well Contractor's License No									
	business na			eoCore, Inc.		by (signa		W	
					T clearly Disease 5		erline or circle the correct answers.	Send ton three copies to Kenses	
Danati	ment of Health	and Environment. Bu	reau of Water, Tope	ka, Kansas 66620-0001.	Telephone: 913-296	-5545. Send on	enine of circle the correct answers. The to WATER WELL OWNER and re	etain one for your records.	