

WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No.

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: McPherson		NW ¼ NE ¼ NW ¼	26	T 20 S	R 3 EW
Distance and direction from nearest town or city street address of well if located within city? SW corner of intersection of County Hwy 2043 and Comanche Rd., 799 Old Hwy 81, Elyria, Kansas					
2 WATER WELL OWNER: Mike Daniel					
RR#, St. Address, Box # : 1225 N. Walnut			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : McPherson, Kansas 67460			Application Number:		
3 LOCATE WELL'S LOCATION WITH		4 DEPTH OF COMPLETED WELL: 85 ft. ELEVATION:			
AN "X" IN SECTION BOX:		Depth(s) Groundwater Encountered 1. 48 ft. 2. 48 ft. 3. 48 ft. WELL'S STATIC WATER LEVEL 48 ft. below land surface measured on mo/day/yr 9/26/07 Pump test data: Well water was 54.5 ft. after 5 hours pumping 81 gpm Est. Yield 81 gpm: Well water was 54.5 ft. after 5 hours pumping 81 gpm Bore Hole Diameter 13 in. to 13 in. and 13 in. to 13 in. ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) ② Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes. X No. X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No			
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)		6 Asbestos-Cement	
② PVC		4 ABS		7 Fiberglass	
Blank casing diameter 8 in. to 70 ft. Dia		Casing height above land surface 24 in., weight Sch. 40 lbs./ft. Wall thickness or gauge No.		CASING JOINTS: Glued X Clamped	
TYPE OF SCREEN OR PERFORATION MATERIAL:		⑦ PVC		10 Asbestos-cement	
1 Steel		3 Stainless steel		5 Fiberglass	
2 Brass		4 Galvanized steel		6 Concrete tile	
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped		8 Saw cut	
1 Continuous slot		③ Mill slot		6 Wire wrapped	
2 Louvered shutter		4 Key punched		7 Torch cut	
SCREEN-PERFORATED INTERVALS: From 70 ft. to 85 ft.		8 Saw cut		11 None (open hole)	
GRAVEL PACK INTERVALS: From 23 ft. to 85 ft.		9 Drilled holes		10 Other (specify)	
		10 Other (specify)		12 None used (open hole)	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout ③ Bentonite 4 Other					
Grout Intervals: From 0 ft. to 23 ft. From 23 ft. to 85 ft. From 85 ft. to 85 ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines		7 Pit privy	
2 Sewer lines		5 Cess pool		8 Sewage lagoon	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard	
Direction from well?		How many feet?		10 Livestock pens	
				14 Abandoned water well	
				11 Fuel storage	
				15 Oil well/Gas well	
				12 Fertilizer storage	
				16 Other (specify below)	
				13 Insecticide storage	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ① constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9/26/2007 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 527 This Water Well Record was completed on (mo/day/yr) 10/16/2007 under the business name of GeoCore Inc. by (signature) <i>Paul Relf</i>					