WATED	WEI	L RECORD	Form W	WC-5	Division of	Water Resources App.	No. MW-10
		OF WATER WELL:	Fraction	11 0-3	Section Num		
	y: McPh		NE 1/4 SE 1/4 SE	1/4 1/4		T 20 S	
		idress of Well Location;					The state of the s
				Global Positioning System (GPS) information: Latitude: .38,337.003			
from nearest town or intersection: If at owner's address, check here \square .					Longitude: -97.669719 (in decimal degrees)		
					Elevation: 1492		
					Datum: W WGS 84, NAD 83, NAD 27		
2 WATER WELL OWNER: NCRA					Collection Method:		
RR#, Street Address, Box #: 2000 South Main Street					GPS unit (Make/Model:)		
City, State, ZIP Code : McPherson, Kansas 67460							hic Map, Land Survey
ivice field in Nation 17400					Est. Accuracy:		
3 LOCATE WELL							
WITH	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 100						
SECT	SECTION BOX: Depth(s) Groundwater Encountered (1).88						
	N WELL'S STATIC WATER LEVEL 92.81ft. below land surface measured on mo/day/yr.12-16-13						
	Pump test data: Well water wasft. after hours pumping gpn						
NX	EST. YIELDgpm. Well water wasft. after hours pumpinggpm						
w	100						
`` -	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
CVI	SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
1 2 44	Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well						
<u> </u>	Was a chemical/bacteriological sample submitted to Department? Yes No						
	S If yes, mo/day/yr sample was submitted						
1 mile Water well disinfected? ☐ Yes ☑ No							
5 TYPE OF CASING USED: Steel V PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter .4 in. to .100ft., Diameter							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ✔ PVC ☐ Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
GRAVEL PACK INTERVALS: From 68 ft. to 100 ft., From ft., to ft.							
From							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☑ Other Concrete							
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other Concrete Grout Intervals: From 68 ft. to 2 ft., From 2 ft. to 0 ft., From ft. to ft.							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
		t sewer lines		Fertilizer s		well/gas well	
		well					LICONIC INTERVALE
FROM	TO	LITHOLOG	JIC LOG	FROM	TO LITE	io. Log (cont.) <u>or</u> Pl	LUGGING INTERVALS
	21	Clayey Silt	· · · · · · · · · · · · · · · · · · ·				, i
-	43	Silty clay					
43		Fine sand	and the second s				
51	56	Clay with Fine sand					
56	64	Clay with medium san					
64	70	Clay with little fine sar	d				
70	80	Fine to medium sand					
80	89	Clay with fine sand					
89	94	Clay					
94 100 Clay with fine sand							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .12/06/2013 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No 5,97 This Water Well Record was completed on (mo/day/year) / 14,044							
under the business name of Carcade Wrilliam by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to							
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kapsas 66612-1367.							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html							