MW-4	1 77	211026	WAT	ER WELL BECORD	orm WWC-5	KSA 82a	-1212					
	ON OF WAT		Fraction			ion Number	Township N	umber	Rang	e Numb	per _	
	MCPL		7) NE	4 SE 14 SE	1/4	5	T 20	<u>s</u> د	R	3	E(W)	
Distance a	nd direction	from nearest to 77.9° \wedge	wn or city street	address of well if located		SE COC	ner of the	1500	tim			
2 WATER	R WELL OW	NER:	KDHE	0		7 - 0 - 1	7	~	1,02			
RR#, St. A	Address, Box	(#:		Field, Bldg 740	>		Board of A	ariculture.	Division of \	Nater R	esources	
City, State	, ZIP Code	:		KS 6662			Application	Number:				
3 LOCATE	E WELL'S LO	OCATION WITH		COMPLETED WELL			TION:					
AN "X"	IN SECTION	BOX:		dwater Encountered 1.	78.	ft. 2	L	ft. 3	3		ft.	
ī [1	1	WELL'S STATE	C WATER LEVEL .7.8.	.64. ft. be	elow land sur	face measured or	mo/day/yr	/5	-95	 	
	1		1	np test data: Well water								
	- NW	175	1	gpm: Well water				-				
ا ا	Bore Hole Diameter . δ in. to								<u>.</u>	ft.		
\vec{x} \ \rightarrow	!		WELL WATER	TO BE USED AS:	5 Public wate	supply	8 Air conditioning	11	Injection w	ell		
lī L	_ sw	SE - m	1 Domestic		Oil field wat		9 Dewatering		Other (Spe	cify bek	ow)	
	1	- i ×	2 Irrigation		-	• -	0 Monitoring	•	• • • • • • • • • • •			
ll L	1		l	I/bacteriological sample so	ubmitted to De	partment? Ye	esNo	; If yes	, mo/day/yr	sample	was sub-	
·	<u> </u>		mitted				ter Well Disinfecte		_	• X		
_		ASING USED:		5 Wrought iron	8 Concre		CASING JO			•		
1 Ste		3 RMP (S	SR)	6 Asbestos-Cement	9 Other	specify below	v)		led	1		
2 PV	-	4 ABS		7 Fiberglass					aded) F. I			
			21	ft., Dia							ft.	
Casing height above land surface												
1 Ste		3 Stainles		5 Fiberglass		P (SR)	_	estos-ceme				
2 Bra		4 Galvani		6 Concrete tile	9 AB			ne used (or)			
		RATION OPENII		control of the	d wrapped	•	8 Saw cut	, ,	11 None	(onen h	nole)	
_	ontinuous slo		Will slot				9 Drilled holes		i i None	(open n	iol e)	
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)												
SCREEN-PERFORATED INTERVALS: From												
From												
	GRAVEL PA	CK INTERVALS	: From	.69 ft. to	925	ft., Fror	n	ft.	to		ft.	
			From	ft. to	·	ft., Fror	n	ft.	to		ft.	
6 GROUT	MATERIAL	. 1 Neat	cement	2 Cement grout	3 Bento	nite	Other	mere	te			
Grout Inter	rvals: From	n	.ft. to	ft., From (t ft.	to <i>D</i>	ft., From		ft. to .		ft.	
What is the nearest source of possible contami							tock pens	14 Abandoned water well				
1 Se	ptic tank		eral lines	7 Pit privy		11 Fuel storage			15 Oil well/Gas well			
2 Sewer lines 5 Cess				8 Sewage lago	on	12 Fertilizer storage		16 Other (specify below)				
3 Watertight sewer lines 6 Seep			page pit	9 Feedyard		13 Insecticide storage						
Direction f			LITUOLOGY	2100	7 5004 1	How mar		HOOMO	NITED VALO			
D, O	33.5	e 0+1	LITHOLOGIC	LOG	FROM	ТО	P	LUGGING	NTERVALS	· · · · · · · · · · · · · · · · · · ·		
22 6	68.5	Sund										
73,5	70.0	Sano		L			A A4					
70.0	93.0	Sand	ig 1 3cc	7	-							
10,0	70,0	- Curici										
					·							
											-	
										<u>-</u>		
7 CONTI	RACTOR'S	OR LANDOWNE	R'S CERTIFICA	TION: This water well wa								
		/year) / .•					rd is true to the b			d belief	. Kansas	
				This Water We	ell Record wa		/ / /	.,	יבהןט			
under the	business na	me of /~	SSI			by (signat	ture) (100,	100	0 /20 -			