


1 LOCATION OF WATER WELL: Fraction **SE 1/4 SE 1/4 NW 1/4** Section Number **5** Township Number **T 20 S** Range Number **R 35 E/W**
 County: **Scott**

Distance and direction from nearest town or city street address of well if located within city?
1/2 miles South 4 1/2 miles West of Scott City, Kansas

2 WATER WELL OWNER: **Kodai Ranch** Board of Agriculture, Division of Water Resources
 RR#, St. Address, Box #: **Box 339** Application Number:
 City, State, ZIP Code: **Scott City, Kansas 67871**

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: **167** ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. **115** ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL **115** ft. below land surface measured on mo/day/yr **7/3/82**
 NA Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter in. to ft., and in. to ft.
 WELL WATER TO BE USED AS:
 1 Domestic **3 Feedlot** 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
 Was a chemical/bacteriological sample submitted to Department? Yes No **X**; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes **X** No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS **Glued** Clamped
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing diameter **5** in. to **167** ft., Dia. in. to ft., Dia. in. to ft.
 Casing height above land surface **12** in., weight **2,368** lbs./ft. Wall thickness or gauge No. **.214**
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped **8 Saw cut** 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From **147** ft. to **167** ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From **115** ft. to **167** ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: **1 Neat cement** 2 Cement grout 3 Bentonite **4 Other Drill cuttings**
 Grout Intervals: From **15** ft. to **115** ft., From **4** ft. to **15** ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy **10 Livestock pens** 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? **North** How many feet? **500**

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	18	Fine sand	18	22	Fine sand clay streaks
22	37	Clay	37	45	Fine sand
45	52	Clay	52	62	Fine sand clay streaks
62	70	Clay	70	75	Medium sand
75	92	Sandy clay	92	100	Fine sand
100	107	Gyp rock	107	110	Sand rock
110	117	Fine sand	117	122	Clay
122	130	Medium sand	130	150	Sand clay streaks
150	162	Fine sand	162	165	Yellow clay
165	167	Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was **1 constructed**, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **7/3/82** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. **232**. This Water Well Record was completed on (mo/day/yr) **7/22/82** under the business name of **Weishaar Drilling & Supply Inc.** by (signature) *[Signature]*

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T 20
R 35
E/W
SEC. 5
SE 1/4
SE 1/4