## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction		Section number		Township number	Range number	
1. Location of well:	Wichita	NE 1/4 NE 1/4 NE	1/4	;	33	T 20 S	R 38	E/W
2. Distance and direction from nearest town or cityApproximately 13S 3. Owner of w						Everett Cald	well	
Street address of well location if in city:  8 IE of Selkirk  R.R. or				street:				
City, ste				tate, zip	code:	Thomas, Okla		
4. Locate with "X" in section below: Sketch map:						Bore hole dia. 10 in	. Completion date —	
No man NE company of NEAC of Com					22	Well depth 240 ft.		
Near NE corner of NE% of Sec.  T20S, R38W, Wichita County,					33,	7 Cable tool X Rotary		
NW NE  1205, K36W, WIGHITA COUNTY, Kansas.						Hollow rod Jetted Bored Reverse rotary		
W E						8. Use: X Domestic Public supply Industry Irrigation Air conditioning Stock		
						Lawn Oil field water Other		
SW   SE						9.)Casing: Material Height: Above or below		
<u> </u>						9)Casing: Material   Height: Above or below   Threaded Welded   Surface in.		
S						RMP PVC		
1					1 -	Dia. <u>5</u> in. to <u>164</u> ft. dep Dia. <u>in.</u> to <u>ft.</u> dep	th Wall Thickness: inc	hes or
5. Type and color of	material			From	То	Screen: Manufacturer's n		
						Peerless		
Top soil				0	4	Type <b>PVC</b>	_ Dia	
Fine sand	a			4	18	Slot/gauz 1/16" Set between164	_ Length	
1110 0011	<del>"</del> .			Ť		Set betweenft. c		<u></u>
Tan clay, caliche				18	42	Gravel pack? X Size ra	nge of material 2.8	mm
Fine to coarse sand with medium and large				42	96	11. Static water level:		/day/yr.
Tan clay with sand streaks, caliche streaks,				42	90	ft. below land sur	face Date <b>6–30–</b>	78
tight				96	142	12. Pumping level below land		
Fine to coarse sand with medium gravel,						ft. after h		
loose Coarse sand with medium gravel, clay streaks				142	162	Estimated maximum yield		
tight				162	184	13. Water sample submitted:		1
Fine to coarse sand with medium gravel,						Yes <b>X</b> No	Date	
loose Fine to coarse sand with clay streaks,				184	206	14. Well head completion:		
caliche streaks				206	224	X Pitless adapter	Inches above g	grade
COLICHE STIEURS						15. Well grouted? X With: Neat cement	8X C	Concrete D
Weathered shale				224	230	Depth: From ft. to .		-
Shale				230	240	16. Nearest source of possible	contamination:Unk	mown O
<i>D.</i>						ft Direction	Туре	
						Well disinfected upon comple		<u>No</u> (1.
						17. Pump:  Manufacturer's name	X Not installed	~ Px
						Model number	HP Volt	ts
						Length of drop pipe	_ ft. capacity	.g.p.m.   (3)
						Type:		
				<del> </del>	$\vdash \vdash \vdash$	Submersible Jet	Turbine Recipro	1 1/ 1/ 1/
(Use a second sheet if needed)						Centrifugal	Other	× 1
18. Elevation: 19. Remarks:						20. Water well contractor's o	ertification:	
						This well was drilled under my jurisdiction and this report		
Topography:					is true to the best of my knowledge and belief.			
Hill						Layne-Western Co., Inc. 102  Business name  License No.		
Slope						Address Garden Cit	Ks. 678	
Upland						Signed	Date .	
Valley						Authorized rep	resentative 19 Ju	1787 > 10
Forward the white, blu	e and pink copies to the Department of	of Health and Environment					Form WW	c-2 K