

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number																																																																																																	
County: Greeley		NE 1/4 NE 1/4 NE 1/4		18		T 20 S		R 39 E/W																																																																																																	
Distance and direction from nearest town or city street address of well if located within city? 10 miles south, 5 east of Tribune, KS																																																																																																									
2 WATER WELL OWNER: Maurice Foster																																																																																																									
RR#, St. Address, Box #: Rt 1 Box 10																																																																																																									
City, State, ZIP Code: Tribune, KS 67879																																																																																																									
Board of Agriculture, Division of Water Resources Application Number:																																																																																																									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 246 ft. ELEVATION: 3520																																																																																																							
		Depth(s) Groundwater Encountered 1. 187 ft. 2. ft. 3. ft.																																																																																																							
		WELL'S STATIC WATER LEVEL 187 ft. below land surface measured on mo/day/yr 8-1-90																																																																																																							
		Pump test data: Well water was 210 ft. after 3 hours pumping 12 gpm																																																																																																							
		Est. Yield 20 gpm: Well water was ft. after hours pumping gpm																																																																																																							
		Bore Hole Diameter 8 in. to 246 ft., and in. to ft.																																																																																																							
WELL WATER TO BE USED AS:																																																																																																									
<div style="display: flex; justify-content: space-between;"> <div> 1 Domestic 2 Irrigation </div> <div> 3 Feedlot 4 Industrial </div> <div> 6 Oil field water supply 7 Lawn and garden only </div> <div> 8 Air conditioning 9 Dewatering </div> <div> 11 Injection well 12 Other (Specify below) </div> </div>																																																																																																									
Was a chemical/bacteriological sample submitted to Department? Yes.....No... X; If yes, mo/day/yr sample was submitted																																																																																																									
Water Well Disinfected? Yes X No																																																																																																									
5 TYPE OF BLANK CASING USED:																																																																																																									
<div style="display: flex; justify-content: space-between;"> <div> 1 Steel 2 PVC </div> <div> 3 RMP (SR) 4 ABS </div> <div> 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass </div> <div> 8 Concrete tile 9 Other (specify below) </div> <div> CASING JOINTS: Glued X Clamped Welded Threaded </div> </div>																																																																																																									
Blank casing diameter 5 in. to 206 ft., Dia. in. to ft., Dia. in. to ft.																																																																																																									
Casing height above land surface 18 in., weight lbs./ft. Wall thickness or gauge No. sch 40																																																																																																									
TYPE OF SCREEN OR PERFORATION MATERIAL:																																																																																																									
<div style="display: flex; justify-content: space-between;"> <div> 1 Steel 2 Brass </div> <div> 3 Stainless steel 4 Galvanized steel </div> <div> 5 Fiberglass 6 Concrete tile </div> <div> 7 PVC 8 RMP (SR) 9 ABS </div> <div> 10 Asbestos-cement 11 Other (specify) 12 None used (open hole) </div> </div>																																																																																																									
SCREEN OR PERFORATION OPENINGS ARE:																																																																																																									
<div style="display: flex; justify-content: space-between;"> <div> 1 Continuous slot 2 Louvered shutter </div> <div> 3 Mill slot 4 Key punched </div> <div> 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut </div> <div> 8 Saw cut 9 Drilled holes 10 Other (specify) </div> <div> 11 None (open hole) </div> </div>																																																																																																									
SCREEN-PERFORATED INTERVALS: From 206 ft. to 246 ft., From ft. to ft.																																																																																																									
GRAVEL PACK INTERVALS: From 25 ft. to 246 ft., From ft. to ft.																																																																																																									
6 GROUT MATERIAL:																																																																																																									
<div style="display: flex; justify-content: space-between;"> <div> 1 Neat cement 2 Cement grout </div> <div> 3 Bentonite 4 Other </div> </div>																																																																																																									
Grout Intervals: From 5 ft. to 25 ft., From ft. to ft., From ft. to ft.																																																																																																									
What is the nearest source of possible contamination:																																																																																																									
<div style="display: flex; justify-content: space-between;"> <div> 1 Septic tank 2 Sewer lines 3 Watertight sewer lines </div> <div> 4 Lateral lines 5 Cess pool 6 Seepage pit </div> <div> 7 Pit privy 8 Sewage lagoon 9 Feedyard </div> <div> 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage </div> <div> 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below) </div> </div>																																																																																																									
Direction from well? West How many feet? 200																																																																																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>16</td> <td>top soil & clay</td> <td>202</td> <td>206</td> <td>clay</td> </tr> <tr> <td>16</td> <td>33</td> <td>clay & limestone</td> <td>206</td> <td>214</td> <td>sand</td> </tr> <tr> <td>33</td> <td>39</td> <td>sand</td> <td>214</td> <td>231</td> <td>cemented sand 4' clay</td> </tr> <tr> <td>39</td> <td>49</td> <td>clay & limestone</td> <td>231</td> <td>238</td> <td>yellow clay</td> </tr> <tr> <td>49</td> <td>66</td> <td>sand</td> <td>238</td> <td>246</td> <td>shale</td> </tr> <tr> <td>66</td> <td>82</td> <td>sandy clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>82</td> <td>99</td> <td>sandy clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>99</td> <td>115</td> <td>sandy clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>115</td> <td>132</td> <td>clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>132</td> <td>148</td> <td>sand & clay streaks</td> <td></td> <td></td> <td></td> </tr> <tr> <td>148</td> <td>153</td> <td>clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>153</td> <td>165</td> <td>sand</td> <td></td> <td></td> <td></td> </tr> <tr> <td>165</td> <td>181</td> <td>sand & clay streaks</td> <td></td> <td></td> <td></td> </tr> <tr> <td>181</td> <td>198</td> <td>sand & cemented sand</td> <td></td> <td></td> <td></td> </tr> <tr> <td>198</td> <td>202</td> <td>cemented sand</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>										FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	16	top soil & clay	202	206	clay	16	33	clay & limestone	206	214	sand	33	39	sand	214	231	cemented sand 4' clay	39	49	clay & limestone	231	238	yellow clay	49	66	sand	238	246	shale	66	82	sandy clay				82	99	sandy clay				99	115	sandy clay				115	132	clay				132	148	sand & clay streaks				148	153	clay				153	165	sand				165	181	sand & clay streaks				181	198	sand & cemented sand				198	202	cemented sand			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																																																																				
0	16	top soil & clay	202	206	clay																																																																																																				
16	33	clay & limestone	206	214	sand																																																																																																				
33	39	sand	214	231	cemented sand 4' clay																																																																																																				
39	49	clay & limestone	231	238	yellow clay																																																																																																				
49	66	sand	238	246	shale																																																																																																				
66	82	sandy clay																																																																																																							
82	99	sandy clay																																																																																																							
99	115	sandy clay																																																																																																							
115	132	clay																																																																																																							
132	148	sand & clay streaks																																																																																																							
148	153	clay																																																																																																							
153	165	sand																																																																																																							
165	181	sand & clay streaks																																																																																																							
181	198	sand & cemented sand																																																																																																							
198	202	cemented sand																																																																																																							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-13-90 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 473 This Water Well Record was completed on (mo/day/yr) 8-14-90 under the business name of Tyler Water Well Service by (signature) <i>[Signature]</i>																																																																																																									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.																																																																																																									