

1 LOCATION OF WATER WELL		Fraction	Section Number		Township Number		Range Number	
County McPherson		SE 1/4 SW 1/4 SW 1/4	2		T 20 S		R 4 E (W)	
Distance and direction from nearest town or city? 1 mile E Conway, 2 mile S, 2 1/2 E.				Street address of well if located within city?				
2 WATER WELL OWNER: Wild Boys & Silver Bullet				Board of Agriculture, Division of Water Resources				
RR#, St. Address, Box #: 807 North Waco, Suite 3A				Application Number: T81-866				
City, State, ZIP Code: Wichita, KS 67203								
3 DEPTH OF COMPLETED WELL: 150 ft. Bore Hole Diameter: 10 in. to 150 ft., and in. to ft.								
Well Water to be used as:								
1 Domestic		3 Feedlot		5 Public water supply		8 Air conditioning		
2 Irrigation		4 Industrial		6 Oil field water supply		9 Dewatering		
				7 Lawn and garden only		10 Observation well		
11 Injection well								
12 Other (Specify below)								
Well's static water level: 55 ft. below land surface measured on month day year								
Pump Test Data: Well water was 65 ft. after 1 hours pumping 15 gpm								
Est. Yield 50 gpm: Well water was 70 ft. after 2 hours pumping 45 gpm								
4 TYPE OF BLANK CASING USED:								
1 Steel		3 RMP (SR)		5 Wrought iron		8 Concrete tile		
2 PVC		4 ABS		6 Asbestos-Cement		9 Other (specify below)		
				7 Fiberglass		Casing Joints: Glued XX Clamped		
						Welded		
						Threaded		
Blank casing dia. 4 in. to 0 ft., Dia. 4 in. to 130 ft., Dia. in. to ft.								
Casing height above land surface: 18 in., weight 160 lbs./ft. Wall thickness or gauge No. 216								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel		3 Stainless steel		5 Fiberglass		7 PVC		
2 Brass		4 Galvanized steel		6 Concrete tile		8 RMP (SR)		
						9 ABS		
						10 Asbestos-cement		
						11 Other (specify)		
						12 None used (open hole)		
Screen or Perforation Openings Are:								
1 Continuous slot		3 Mill slot		5 Gauzed wrapped		8 Saw cut		
2 Louvered shutter		4 Key punched		6 Wire wrapped		9 Drilled holes		
				7 Torch cut		10 Other (specify)		
						11 None (open hole)		
Screen-Perforation Dia. 4 in. to 130 ft., Dia. 4 in. to 150 ft., Dia. in. to ft.								
Screen-Perforated Intervals: From 130 ft. to 150 ft., From ft. to ft., From ft. to ft.								
Gravel Pack Intervals: From 10 ft. to 150 ft., From ft. to ft., From ft. to ft.								
5 GROUT MATERIAL:								
1 Neat cement		2 Cement grout		3 Bentonite		4 Other		
Grouted Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination:								
1 Septic tank		4 Cess pool		7 Sewage lagoon		10 Fuel storage		
2 Sewer lines		5 Seepage pit		8 Feed yard		11 Fertilizer storage		
3 Lateral lines		6 Pit privy		9 Livestock pens		12 Insecticide storage		
						13 Watertight sewer lines		
						14 Abandoned water well		
						15 Oil well/Gas well		
						16 Other (specify below)		
						NONE		
Direction from well: How many feet? Water Well Disinfected? Yes No XX								
Was a chemical/bacteriological sample submitted to Department? Yes No XX If yes, date sample was submitted month day year Pump Installed? Yes No XX								
If Yes: Pump Manufacturer's name Model No. HP Volts								
Depth of Pump Intake ft. Pumps Capacity rated at gal./min.								
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other								
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 12/1/81 month day year								
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134								
This Water Well Record was completed on 12/3/81 month day year under the business name of Rosencrantz-Bemis Ent. by (signature) Diane Schell								
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM TO		LITHOLOGIC LOG		FROM TO LITHOLOGIC LOG		
		0 5		Top soil and brown clay				
		5 20		Red Clay				
		20 68		Grey clay				
		68 78		Equis sand				
		78 80		Clay				
		80 95		Equis sand				
		95 103		Equis sand and clay X streaks.				
		103 110		Green clay and equis sand				
110 130		Equis sand and clay						
130 150		Equis sand and shale						
ELEVATION: 150		55		Shale				
Depth(s) Groundwater Encountered 1. 55 ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)								

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.