


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County McPHERSON	Fraction NW 1/4 NW 1/4 SE 1/4	Section number 22	Township number T 20 S	Range number R 4 W	E/W
2. Distance and direction from nearest town or city: 1/2 WEST GROVELAND Street address of well location if in city:				3. Owner of well: Lowell Sawyer R.R. or street: RFD City, state, zip code: McPherson, Kans. 67460			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 28 in. Completion date 5/10/75 Well depth 134 ft.			
				7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary			
5. Type and color of material		From	To	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other			
Brown soil		0	5	9. Casing: Material Transite Joint: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <input type="checkbox"/> in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 30 lbs./ft. Dia. 1 1/2 in. to 1 1/2 ft. depth Wall Thickness: inches or Dia. 0 in. to 95 ft. depth Gauge No. 34			
Red clay		5	10	10. Screen: Manufacturer's name Johnson Type sawed Dia. 16 Slot/gauze 3/16 Length 39 Set between 9.5 ft. and 134 ft. ft. and 134 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/8-1/4			
Gray clay		10	50	11. Static water level: 45 ft. below land surface Date 4/15/75			
sand and clay mixed		50	90	12. Pumping level below land surfaces: 71 ft. after 1 hrs. pumping 1000 g.p.m. 67 ft. after 1/2 hrs. pumping 800 g.p.m. Estimated maximum yield 1200 g.p.m.			
Med. to coarse gravel		90	130	13. Water sample submitted: mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date 5/10/75			
Clay with clay balls		130	135	14. Well head completion: <input type="checkbox"/> Pitless adapter 1 FT Inches above grade			
Shale		135	--	15. Well grouted? <input type="checkbox"/> With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.			
				16. Nearest source of possible contamination: ft. 0 Direction West Type None Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name Kurtz Handley Model number 12 CM HP 100 Volts 440 Length of drop pipe 80 ft. capacity 800 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other			
				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Darling Drilling Co. 189 Business name License No. Address 2211 W. 4th Hutchinson, Ks. Signed Darling Drilling Co. Date 5-10-75 Authorized representative			
18. Elevation:		19. Remarks:					
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley							

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5