

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: McPherson		SE 1/4 SW 1/4 SE 1/4		36		T 20 S		R 5 E	
Distance and direction from nearest town or city street address of well if located within city?									
2 mi. N, 2 1/4 mi. W of Inman									
2 WATER WELL OWNER:					Board of Agriculture, Division of Water Resources				
RR#, St. Address, Box # :					Application Number:				
City, State, ZIP Code :									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:					4 DEPTH OF COMPLETED WELL: 117 ft. ELEVATION:				
					Depth(s) Groundwater Encountered 1. 38 ft. 2. 100 ft. 3. 117 ft.				
					WELL'S STATIC WATER LEVEL 38 ft. below land surface measured on mo/day/yr 8-17-92				
					Pump test data: Well water was 100 ft. after 3 hours pumping 6 gpm				
					Est. Yield 6 gpm: Well water was 100 ft. after 3 hours pumping 6 gpm				
					Bore Hole Diameter 9 in. to 38 ft., and 5 1/4 in. to 117 ft.				
					WELL WATER TO BE USED AS:				
					5 Public water supply 8 Air conditioning 11 Injection well				
					1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)				
					2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 11 Other (Specify below)				
					Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted				
					Water Well Disinfected? Yes X No				
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
7 Fiberglass Threaded									
Blank casing diameter 6 in. to 38 ft., Dia. 12 in. to 160 ft., Dia.									
Casing height above land surface 12 in., weight 3.77 lbs./ft. Wall thickness or gauge No. 160									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From NA ft. to NA ft., From NA ft. to NA ft.									
GRAVEL PACK INTERVALS: From NA ft. to NA ft., From NA ft. to NA ft.									
6 GROUT MATERIAL:									
1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 2 ft. to 22 ft., From 33 ft. to 38 ft., From NA ft. to NA ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well? S How many feet? 90									
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0 7 Gr clay									
7 30 Br clay									
30 117 Shale									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-17-92 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 447 This Water Well Record was completed on (mo/day/yr) 8-23-92									
under the business name of Miller Drilling by (signature) G Miller									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									

1/4