

W  
E  
XX

1 LOCATION OF WATER WELL: Fraction NE 1/4 SE 1/4 NE 1/4 Section Number 32 Township Number T 20 S Range Number R 7

Distance and direction from nearest town or city street address of well if located within city?  
Saxmon 1E 1/4So West Side

2 WATER WELL OWNER: American Salt Co.  
RR#, St. Address, Box #: Box 498 Board of Agriculture, Division of Water Resources  
City, State, ZIP Code: Lyons, KS 67554 H-Well Application Number: 32296

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram showing a 2x2 grid with NW, NE, SW, SE quadrants. An 'X' is marked in the NE quadrant. A vertical scale bar on the left indicates 1 mile.]

4 DEPTH OF COMPLETED WELL: 63 ft. ELEVATION: ...  
Depth(s) Groundwater Encountered 1. 12 ft. 2. ... ft. 3. ... ft.  
WELL'S STATIC WATER LEVEL: 12 ft. below land surface measured on mo/day/yr 7-15-87  
Pump test data: Well water was N/A ft. after ... hours pumping ... gpm  
Est. Yield ... gpm: Well water was ... ft. after ... hours pumping ... gpm  
Bore Hole Diameter: 20 in. to ... ft. and ... in. to ... ft.  
WELL WATER TO BE USED AS:  
5 Public water supply 8 Air conditioning 11 Injection well  
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) Interceptor  
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well  
Was a chemical/bacteriological sample submitted to Department? Yes... No...XX...; If yes, mo/day/yr sample was submitted  
Water Well Disinfected? Yes XX No

5 TYPE OF BLANK CASING USED:  
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued XX Clamped  
XX PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded  
7 Fiberglass Threaded  
Blank casing diameter 10 in. to 0 ft., Dia 43 in. to ... ft., Dia ... in. to ... ft.  
Casing height above land surface 18 in., weight 200 lbs./ft. Wall thickness or gauge No. ...  
TYPE OF SCREEN OR PERFORATION MATERIAL:  
1 Steel XX Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement  
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)  
9 ABS 12 None used (open hole)  
SCREEN OR PERFORATION OPENINGS ARE:  
1 Continuous slot 3 Mill slot XX Wire wrapped 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
2 Louvered shutter 4 Key punched 7 Torch cut 9 Drilled holes 10 Other (specify)  
SCREEN-PERFORATED INTERVALS: From 43 ft. to 63 ft., From ... ft. to ... ft.  
GRAVEL PACK INTERVALS: From 20 ft. to 63 ft., From ... ft. to ... ft.

6 GROUT MATERIAL: XX Neat cement 2 Cement grout 3 Bentonite 4 Other  
Grout Intervals: From 0 ft. to 20 ft., From ... ft. to ... ft., From ... ft. to ... ft.  
What is the nearest source of possible contamination:  
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
13 Insecticide storage None  
Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	3	TS			
3	12	Clay			
12	40	Med. Sand			
40	42	Clay			
42	63	Med. Sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was XX constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7-15-87 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 394 This Water Well Record was completed on (mo/day/yr) 8-7-87 under the business name of Woofter Pump & Well by (signature) Mike Howes