

SCHUEFLER

| | | | | |
|---------------------------|-----------------------------|----------------|-----------------|----------------------|
| 1 LOCATION OF WATER WELL: | Fraction | Section Number | Township Number | Range Number |
| County: <u>RICE</u> | <u>SW 1/4 SE 1/4 NW 1/4</u> | <u>34</u> | T <u>20</u> S | R <u>7</u> <u>EW</u> |

Distance and direction from nearest town or city street address of well if located within city?

SAXMAN 1/4 S 2 E 1/2 S EASTSIDE

| | | |
|---------------------|------------------------------|---|
| 2 WATER WELL OWNER: | <u>STERLING DRILLING CO.</u> | <u>PAUL SCHEUFLE, JR., STERLING, KS 67579</u> |
|---------------------|------------------------------|---|


RR#, St. Address, Box # : BOX 129

Board of Agriculture, Division of Water Resources

City, State, ZIP Code : STERLING, KS 67579

Application Number: T83-67

| | | |
|--|--|------------|
| 3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: | 4 DEPTH OF COMPLETED WELL: <u>63</u> ft. | ELEVATION: |
|--|--|------------|



Depth(s) Groundwater Encountered 1. 3.7 ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL 32 ft. below land surface measured on mo/day/yr 2-8-83

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm; Well water was ft. after hours pumping gpm

Bore Hole Diameter: 7 7/8 in. to 6.3 ft., and in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well

Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

| | | | |
|------------------------------|----------------|-----------------|--|
| 5 TYPE OF BLANK CASING USED: | 5 Wrought iron | 8 Concrete tile | CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped |
|------------------------------|----------------|-----------------|--|

1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded

2 PVC 4 ABS 7 Fiberglass Threaded

Blank casing diameter 5 in. to 4.3 ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface 12 in., weight 2.65 lbs./ft. Wall thickness or gauge No. 219

| | | |
|---|--------------|--------------------|
| TYPE OF SCREEN OR PERFORATION MATERIAL: | <u>7</u> PVC | 10 Asbestos-cement |
|---|--------------|--------------------|

1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)

2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)

| | | | |
|---|------------------|------------------|---------------------|
| SCREEN OR PERFORATION OPENINGS ARE: <u>48</u> | 5 Gauzed wrapped | <u>8</u> Saw cut | 11 None (open hole) |
|---|------------------|------------------|---------------------|

1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes

2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)

| | | |
|------------------------------|---------------------------------------|-------------------------------------|
| SCREEN-PERFORATED INTERVALS: | From <u>4.3</u> ft. to <u>6.3</u> ft. | From ft. to ft. |
|------------------------------|---------------------------------------|-------------------------------------|

From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 3.3 ft. to 6.3 ft., From ft. to ft.

From ft. to ft., From ft. to ft.

| | | | | |
|-------------------|---------------|----------------|--------------------|-------------------|
| 6 GROUT MATERIAL: | 1 Neat cement | 2 Cement grout | <u>3</u> Bentonite | 4 Other |
|-------------------|---------------|----------------|--------------------|-------------------|

Grout Intervals: From 0 ft. to 1.0 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination: NONE

1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well

2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well

3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)

13 Insecticide storage

Direction from well? How many feet?

| FROM | TO | LITHOLOGIC LOG | FROM | TO | LITHOLOGIC LOG |
|-----------|-----------|-------------------|------|----|----------------|
| <u>0</u> | <u>5</u> | <u>SOIL</u> | | | |
| <u>5</u> | <u>35</u> | <u>SANDY CLAY</u> | | | <u>(01)</u> |
| <u>35</u> | <u>63</u> | <u>GRAVEL</u> | | | <u>(11)</u> |

| |
|---|
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>2-8-83</u> and this record is true to the best of my knowledge and belief. Kansas |
|---|

Water Well Contractor's License No. 389 This Water Well Record was completed on (mo/day/yr) 2-17-83

under the business name of REISER WATER WELL SERV. INC. by (signature) Rudolph Reiser

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T 20
R 7
EW
SEC 34
SW 1/4 SE 1/4 NW 1/4