


1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number	
County: Rice	NE ¼ NE ¼ NW ¼	5	T 20 S	R 8 EW	
Distance and direction from nearest town or city street address of well if located within city? 1450 W US Hwy 56, Rt 3, Box 59, Hwy 96, Lyons		Lat. 38.34641 Long. -98.22987			
2 WATER WELL OWNER: City of Lyons		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # : PO Box 808		Application Number:			
City, State, ZIP Code : Lyons, Kansas 67554					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 40 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr Pump test data: Well water was NA ft. after hours pumping gpm Est. Yield NA gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 8 in. to 40 ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes.....No <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No <input checked="" type="checkbox"/>			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped			
1 Steel 3 RMP (SR)		Welded			
2 PVC 4 ABS		Threaded. <input checked="" type="checkbox"/>			
Blank casing diameter 2 in. to 25 ft, Dia in. to ft, Dia in. to ft		Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No. Sch. 40			
TYPE OF SCREEN OR PERFORATION MATERIAL		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)		11 Other (specify)			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes		10 Other (specify)			
2 Louvered shutter 4 Key punched 7 Torch cut					
SCREEN-PERFORATED INTERVALS: From 25 ft to 40 ft, From ft to ft					
GRAVEL PACK INTERVALS: From 23 ft to 40 ft, From ft to ft					
		From ft to ft, From ft to ft			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete					
Grout Intervals: From 0 ft to 1 ft, From 1 ft to 23 ft, From ft to ft					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well?		How many feet?			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	Clay, silty, Dark Brown			
1	11	Clay, v. silty, Brown to Orange Brown			
11	15	Clay, silty, sl. plastic, Brown to Orange Brown			
15	25	Clay, silty, plastic, Brown to Orange Brown			
25	28	Clay, silty, Brown			
28	34	Clay, v. silty, Brown			
34	40	Silt, clayey, Lt. Brown			
					MW10, Flushmount
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11/11/2014 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 12/11/14					
under the business name of GeoCore, Inc. by (signature) <i>Dale Koley</i>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					

OFFICE USE ONLY

T

R

EM

SEC.

¼

¼

¼