

			RECORD	-	n n C-3	8522		ion of Wate					
	Original Record Correction Chang				e in Well Use Fraction	Resources App. No. Section Number			Well ID Township Number Range Number				
	County:				$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			T S			$\begin{array}{c} R \\ R \\ \Box E \\ \Box W \end{array}$		
		· OWNER:	Last Name	First:		reet or Rural Address where well is located (if unknown, distance							
								rection from nearest town or intersection): If at owner's address, check here:					
	Address:												
	ddress:			G	710								
	City: State: ZIP: LOCATE WELL 4 DEDTH OF COMPLETED WELL												
	VITH "		4 DEPTH	OF COM	IPLETED WELL: ft.			5 Latitude :(decimal degrees)					
		ION BOX . Depth(s) Groundwater Encountered: 1)						Longitude:(decimal degrees)					
~	N			3) ft., or 4)		11			WGS 84 INAD	83 🗌 N	IAD 27		
	WELL'S STATIC WATER LEVEL:							Source for Latitude/Longitude:					
	-NW NE $ $ above land surface, measured on (mo-day-y)							□ GPS (unit make/model:) (WAAS enabled? □ Yes □ No)					
	· IN W	INE		Pump test data: Well water was ft.					□ Land Survey □ Topographic Map □ Online Mapper:				
w		E	-	after hours pumping gpm									
	- SW	SE		Well water was ft.									
	- 3	30		after hours pumping gpm					6 Elevation:ft. Ground Level TOC				
				Estimated Yield:gpm Bore Hole Diameter:in. to ft. and					Source: Land Survey GPS Topographic Map				
		nile	Dore Hote L	in. to ft.					$\Box \text{ Other } \dots$				
7 W	7 WELL WATER TO BE USED AS:												
	bomestic: 5. Depublic Water Supply: well ID 10. Oil Field Water Supply: lease												
	Household 6. Dewatering: how many wells?							11. Test Hole: well ID					
		& Garden			: well ID				Uncased Ge				
	Livestock 8. Monitoring: well ID									al: how many bores?			
	Irrigation 9. Environmental Remediation: well ID Feedlot Air Sparge									Loop Horizontal			
					·			b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):					
	Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:												
					C D Other	C	V C I NI	C IONTS	. –		Walda	d 🗖 Threadad	
8 TYPE OF CASING USED: Steel Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter													
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No.													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)													
Brass Galvanized Steel Concrete tile None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
	□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
					ne wrapped S			` I		ft From	ft to	ft	
ben					n ft. to								
9 G					Cement grout B								
					. ft., From								
Near	est sou	rce of possil	ole contamination	on:									
	Septic 7	Fank		Lateral Line	s 🗌 Pit Privy			ivestock Pe		Insecticid			
	Sewer I	Lines		Cess Pool	Sewage L	agoon		uel Storage) 	Abandon		Well	
	Other (gnt Sewer L Specify)		eepage Pit	Sewage L			ertilizer Sto	Jiage	Oil Well/	Gas well		
Direc	ction fro	m well?			Distance from v	vell?				ft.			
	ROM	ТО		ITHOLOG		FROM				HO. LOG (cont.) or P	LUGGIN	G INTERVALS	
							-+						
						N T. 4							
	Notes:												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged													
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.													
Kansas Water Well Contractor's License No													
under the business name of													
KS	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
	-		eks.gov/waterwel		, cesiog, section, i	. 100 B 17 3d0.		, Sanc 720,	, . ope	, 1		SA 82a-1212	