	OFFICE USE ONLY
-	آل ال

[]			WAT	ER WELL RECO	RD For		KSA 82a-1			
	ION OF WAT			NE ½	A15**	1	tion Number			Range Number
County:		Rice						т 20	S	R 8 W
Distance and direction from nearest town or city street address of well if located within city? 201 S. Grand, Lyons, KS										
2 MATER	R WELL OWN	ED. KD		2010	. Orana,	Lyono,				
			00 SW Jackson;	Sto 410				Pound of Agricult	uro Division	of Mater Resources
			oeka, KS 66612	Ste. 410				-		of Water Resources
LOCAT	E WELL'S LC	CATON V						Application Num		
3 AN "X"	IN SECTION	BOX:	DEPTH OF	COMPLETED V	VELL	40	ft. ELE	VATION:	1695.	.74
	N		Depth(s) Ground	dwater Encount	ered 1.5		ft	t. 2	ft. 3	Ft.
I ↑ T	i	i x						surface measured on		
	N.W _	NE	1 1					t. after		
	:: T	!						t. after		
₩ W			E Bore Hole Diam	Opin. V	In to	νας Δ(ˈ	ft and	in to	Γ ₁
7 " 	1		WELL WATER	O BE USED A	, m. to S∙ 5 Put	nlic water si	unnly	ft. and 8 Air conditionin 9 Dewatering	11 Inie	ection well
	sw	: SE	1 Domestic	3 Feed lot	6 Oil	field water	supply	9 Dewatering	12 Oth	ner (Specify below)
	- ! !	- 1	2 Irrigation	4 Industrial	7 Lav	vn and gard	den (domesti	c) 10 Monitoring w	ell	LMW-4
' L	S	<u></u>	Was a chemical	bacteriological	sample sul	bmitted to [Yes No X	-	
			Submitted					ter Well Disinfected?		
5 TYPE C	F BLANK CA	SING US	ED:	5 Wrought	Iron	8 Concre	ete tile	CASING JOINTS	S: Glued	Clamped
1 ·St	eel	3 R	MP (SR)						Welded	
2 PV	/C	4 A	BS	7 Fiberglas	s					X
				Ft						
Blank casin	ng diameter	2	in. to 25 FLUSH	Dia		In. t	0	ft., Dia	in. to	ft.
Casing heig	ght above land	d surface	FLUSH	In., weight	SC	H 40	Lbs./ft.	Wall thickness or ga	auge No	
		PERFORA	ΠΟΝ MATERIAL:					10 Asbesto		
1 Ste			ainless steel	_		8	RMP (SR)	11 Other (specify)	
2 Bra			alvanized steel					12 None u		
			NINGS ARE:			wrapped		8 Saw cut	11 N	None (open hole)
	ntinuous slot		3 Mill slot		Wire wr			9 Drilled holes		
			4 Key punched		Torch c			10 Other (specify)		
SCREEN-P	PERFORATED) INTERV	ALS: From	25 ft.	to	40	ft. F	rom	ft. to	ft.
				ft.	to			rom		
SA	ND PACK INT	TERVALS:	From	23 ft.	to	40	ft. F	rom		
			From	ft.	to			rom	ft. to	Ft.
6 GROUT	MATERIAL:	1 N	eat cement 2	Cement grout		3 Bent	tonite	4 Other		
0		0.5		Ft.		Ft.				
			ft. to 21	From3		to	23	tt. From	: ^{π.}	toπ.
			ble contamination:	_	D., .			ock pens		
	ptic tank		4 Lateral lines							Gas well
	wer lines		5 Cess pool		Sewage la	goon		zer storage	16 Other (sp	
	atertight sewer	r lines	6 Seepage pit	9	Feedyard			ticide storage	Contan	ninated Site
Direction fro		T			— т		How many			
FROM	TO	CODE		OGIC LOG		FROM	то	PLUG	GING INTERV	/ALS
0	0.5		Concrete							
0.5 36	36 40	-	Silty Clay							
40	TD		Sandy Silty Cla End of Borehol							
	10		Life of Borellol	<u> </u>			-			
				~						
7 CONTO	ACTORIC CO	LANDOYA	NEDIO CEDITIONE	ONL This was	well	w) and start	tod (2)	noterioted on (2) at a		luriodiation and
			NER'S CERTIFICATION							
Completed on (mo/day/yr) 02/18/16 And this record is true to the best of my knowledge and belief. Kansas										
Water Well Contractor's License No. 585 This Water Well Record was completed on (mo/day/yr) 03/11/16										
under the business name of Associated Environmental, Inc. By (signature) Bradley Johns n INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Topping Associated Environmental, Inc.										
Kansas	66620-0001.	Telephone:	913-296-5545. Send o	ne to WATER W	ELL OWNE	R and retain	one for your	records.`		