KOLAR Document ID: 1534256

WATER		ECORD Correction		WWC-5 ge in Well Use		vision of Wat sources App.			Well ID		
			-	Fraction		ction Numb		Township Numbe		ge Number	
1 LOCATION OF WATER WELL: County:Fraction1/41/4					4 ¹ / ₄	$\begin{array}{c} \text{T} \\ \text{T} \\ \text{S} \\ \text{R} \\ \text{E} \\ \text{E} \\ \text{W} \end{array}$					
Business: d Address: Address:						Street or Rural Address where well is located (if unknown, distance and lirection from nearest town or intersection): If at owner's address, check here:					
City:			State:	ZIP:							
3 LOCATH WITH "2				IPLETED WELL:							
SECTIO		Depth(s) Gr			Longitude:(decimal degrees)						
N		2) WELL'S ST	Dry Well	Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:							
						GPS (unit make/model:)					
NW	NE	above la	and surface	yr)			WAAS enabled?				
		Pump test da			□ Land Survey □ Topographic Map						
W	E	alter	hours Well v			Online	e Mapper:				
SW	SE	after		s pumping							
▏└└└┝	\leftarrow	Estimated Y			6 Elevation:ft. Ground Level TOC						
S	5 vile	Bore Hole D			Source	Source: Land Survey GPS Topographic Map Other					
1 mile											
1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease											
Househ		6. 🗌	6. Dewatering: how many wells?			11. Test	11. Test Hole: well ID				
			7. Aquifer Recharge: well ID				Cased Uncased Geotechnical				
2. Irrigatio	□ Livestock 8. □ Monitoring: well ID ℓ. □ Irrigation 9. Environmental Remediation: well						12. Geothermal: how many bores?a) Closed Loop □ Horizontal □ Vertical				
3. ☐ Feedlot								Loop \Box Surface Discharge \Box Inj. of Water			
4. 🗌 Industri		Recovery	Ũ		13. Other (specify):						
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:											
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft., Diameter ft., Diameter											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ PVC □ Other (Specify)											
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Image: Comparison of the sector of											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. o ft. o ft. o ft. to ft. ft. to ft. to ft. to ft. to ft. ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft											
Grout Intervals: From											
Nearest sour	ce of possibl	e contaminati	on: No	potential source of con	ntamination w	ithin 200 ft.					
	□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage										
Sewer L	lines ght Sewer Lii		Cess Pool Seenage Pit	□ Sewage La □ Feedyard] Fuel Storag] Fertilizer St				well	
□ Other (Specify)											
				Distance from w							
10 FROM	TO	L	ITHOLOG	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	3 INTERVALS	
					Notes:	<u> </u>	I				
11 CONTR	RACTOR'S	OR LANDO	WNER'S	S CERTIFICATIO	N: This wat	er well was		onstructed, \Box reco	nstructed,	or plugged	
under my ju Kansas Wat	risdiction a	nd was compl	eted on (n	no-day-year) 	ater Well Pe	this record	18 tru mnle	te to the best of my	y knowledg	ge and belief.	
under the bu	isiness name	e of								·····	
		Send one copy to	WATER W	ELL OWNER and retain	one for your re-	cords. Fee of \$	\$5.00 f	or each constructed we	11.		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdbeks.gov/waterwell/index.html KSA 82a-1212											