USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

						To	peka, Kansas 66620		
	County	Fraction			number	Township number	Range number		
1. Location of well:	Rice	NE 1/4 NW1/4 SE 1/4		10		т 20 .	s R 8	(W)	
2. Distance and direction from nearest town or city: 3. Ov				ner of wel	rofwell: Cecil Miller, etal *		1 *		
Charles address of small learning if in airs.			r street:	1.54.00					
				state, zip	code: Ly	ons, KS 67554			
	" in section below:	Sketch map:				6. Bore hole dia. 5	n. Completion date	1_12_78	
Test Well #30				SE Corner		7 Cable tool _X Rotary Driven Dug			
of Section 10						Hollow rod Jetted Bored Reverse rotary			
E W 1 1/1/1XI E						8. Use: Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water X Other—Test			
- XI									
SW SE 						9. Casing: Material PVC Height: Above or below			
						Threaded Welded Surface in. RMP PVC Weight 631lbs./ft.			
ı 1	S Mile ————————————————————————————————————					$\frac{\text{KMP}}{\text{Dig.}} \frac{2\frac{1}{2} \text{in to } 64 \text{ ft d}}{2 \text{ ft } 64 \text{ ft d}}$	weight	inches or	
5. Type and color of material				From	То	Dia. $\frac{2\frac{1}{2}}{\text{in. to}}$ to $\frac{64}{\text{ft. depth}}$ Wall Thickness: inches or Dia in. to ft. depth gage No 110			
						10. Screen: Manufacturer's	nameCla	rke	
Top soi	1			0	3	Twoe PVC	$2\frac{1}{2}$		
					0.0	Slot gauze 1/8"	Length10		
Brown & gray clay			3	26	Set betweenft.		ft.		
Sand & gravel & clay streaks			26	38	Gravel pack? <u>YES</u> Size	range of material	1/4"		
Sand & gravel			38	57	11. Static water level:		10./day/yr. 7-78		
Sand & gravel & clay streaks			57	74					
Red shale				74	76	ft. after hrs. pumping g.p.m g.p.m g.p.m.			
nea bna						Estimated maximum yield _		g.p.m.	
W - E - C						13. Water sample submitted			
						X Yes No		8	
				+		14. Well head completion: Pitless adapter	Inches abov	/e grade	
					ļ	15. Well grouted? NO		<u> </u>	
						With: Neat cement Bentonite Concrete			
				†		Depth: From ft. t	o ft.		
						16. Nearest source of possi	ble contamination:		
						Well disinfected upon comp			
						17. Pump:	X Not installe		
				1		Manufacturer's name Model number	HP \	/olts	
					Length of drop pipe				
						Туре:			
				+	 	Submersible Jet	Turbi	ine procating	
(Use a second sheet if needed)					Jet Centrifugal	Othe	۰ ۱٬۸		
18. Elevation:	19. Remarks: * Work pe	rformed on behalf of Cecil				20. Water well contractor	s certification:		
Ground	Miller etal to o	3				This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Clarke Well & Eq., Inc. 185			
1654.9 Topography:									
Hill	** Test wells were considered temporary t					Rusiness name License No.			
Slope	to plug wells or grout & establish permanent						Address — 1		
Observation wells has not been made.						Signed Authorized representative			