

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Rice	NE 1/4 SE 1/4 SE 1/4	28	T 20 S	R 8 EW

Distance and direction from nearest town or city street address of well if located within city?

Approx. 4 mi. south of Lyons, KS

2 WATER WELL OWNER: Co-Op - Lyons, Sterling, Saxman	Board of Agriculture, Division of Water Resources Application Number: not required
RR#, St. Address, Box #: c/o Sterling Appliance, 112 N. Broadway	
City, State, ZIP Code: Sterling, KS 67579	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 37 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. 13.5 ft. 2. . ft. 3. . ft.
	WELL'S STATIC WATER LEVEL 13.5 ft. below land surface measured on mo/day/yr 1/11/88
	Pump test data: Well water was not ck'd ft. after hours pumping gpm
	Est. Yield unknown gpm: Well water was ft. after hours pumping gpm
Bore Hole Diameter 9 in. to 35 ft., and in. to ft.	WELL WATER TO BE USED AS:
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	5 Public water supply 8 Air conditioning 11 Injection well
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well	
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted	Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	10 Asbestos-cement
Blank casing diameter 5 in. to 25 ft., Dia	24 in. weight 2.277	7 PVC	11 Other (specify)
Casing height above land surface	Weight lbs./ft. Wall thickness or gauge No. 214	8 RMP (SR)	12 None used (open hole)
TYPE OF SCREEN OR PERFORATION MATERIAL:	5 Fiberglass	8 Saw cut	11 None (open hole)
1 Steel	3 Stainless steel	9 Drilled holes	
2 Brass	4 Galvanized steel	10 Other (specify)	
SCREEN OR PERFORATION OPENINGS ARE:	6 Concrete tile	9 ABS	
1 Continuous slot	3 Mill slot	7 Torch cut	
2 Louvered shutter	4 Key punched	8 Wire wrapped	
SCREEN-PERFORATED INTERVALS:	5 Gauzed wrapped	9 Drilled holes	
From 25 ft. to 35 ft., From ft. to ft.	6 Wire wrapped	10 Other (specify)	
GRAVEL PACK INTERVALS:	7 Torch cut		
From 20 ft. to 35 ft., From ft. to ft.	8 Saw cut		
From ft. to ft., From ft. to ft.	9 ABS		

6 GROUT MATERIAL: a) 1 Neat cement 2 Cement grout b) 3 Bentonite 4 Other
Grout Intervals: From a) 5 ft. to 18 ft., From b) 18 ft. to 20 ft., From ft. to ft.
What is the nearest source of possible contamination:
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
13 Insecticide storage
Direction from well? south How many feet? 200

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	10	Topsoil & sandy brown clay			
10	35	Sand & gravel, fine to med. some coarse			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1/11/88 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/yr) 1/19/88 under the business name of Clarke Well & Equipment, Inc. by (signature) <i>Clarke Well & Equipment</i>
--

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.