

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.



WATER WELL RECORD  
KSA 82a-1201-1215

CENTER

20 9 W 3 1 MW

T R EW sec 1/4 1/4 1/4 No.

Kansas State Dept. Of Health  
(Water Well Contractors)  
Forbes-Bldg. 740  
Topeka, Kansas 66620

1 Location of well:	County <b>Rice</b>	Township name <b>Atlanta</b>	Fraction <b>Center NW</b>	Section number <b>31</b>	Town number <b>20</b>	Range number <b>8</b>																											
Distance and direction from nearest town or city: <b>1 mile East of WOKR</b>		Owner of well: <b>Wendall Zimmerman</b>		Street address of well location if in city: <b>3 mile East 3/4 North</b>			Address: <b>R.R. Sterling, Kansas 67579</b>																										
Locate with "X" in section below: N 				Sketch map: 			4 Well depth: <del>72</del> ft. Date of completion <b>5/1/78</b> Well diameter <b>26</b> in.																										
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 60%;">2 Type and color of material</th> <th style="width: 10%;">From</th> <th style="width: 10%;">To</th> </tr> </thead> <tbody> <tr><td>Clay</td><td>0</td><td>10</td></tr> <tr><td>Fine sand</td><td>10</td><td>20</td></tr> <tr><td>Med. sand</td><td>20</td><td>30</td></tr> <tr><td>Coarse gravel</td><td>30</td><td>55</td></tr> <tr><td>Fine to Med. sand</td><td>55</td><td>65</td></tr> <tr><td>Med. sand</td><td>65</td><td>72</td></tr> <tr><td>Clay</td><td>72</td><td>75</td></tr> <tr><td colspan="3" style="text-align: center;">(use a second sheet if needed)</td></tr> </tbody> </table>				2 Type and color of material	From	To	Clay	0	10	Fine sand	10	20	Med. sand	20	30	Coarse gravel	30	55	Fine to Med. sand	55	65	Med. sand	65	72	Clay	72	75	(use a second sheet if needed)			5 <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
				2 Type and color of material	From	To																											
				Clay	0	10																											
				Fine sand	10	20																											
				Med. sand	20	30																											
				Coarse gravel	30	55																											
				Fine to Med. sand	55	65																											
				Med. sand	65	72																											
				Clay	72	75																											
				(use a second sheet if needed)																													
6 Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well <input type="checkbox"/>																																	
7 Casing: Material <b>Transite</b> above/below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <b>8</b> in. Diam. Weight <b>30</b> lbs./ft. <b>16</b> in. to <b>33</b> ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																																	
8 Screen: Manufacturer <b>Johnson</b> Type <b>Sawed</b> Dia. <b>1 1/2"</b> Slot/gauze <b>3/16</b> Length <b>39'</b> Set between <b>88</b> ft. and <b>72</b> ft. Fittings: Gravel pack <input type="checkbox"/> Yes <input type="checkbox"/> No Size range of material <b>1/8-1/4</b>																																	
9 Static water level: <b>25</b> ft. below land surface Date <b>5-1-78</b>																																	
10 Pumping level below land surfaces: <b>43</b> ft. after <b>1</b> hrs. pumping <b>800</b> g.p.m. <b>50</b> ft. after <b>2</b> hrs. pumping <b>1150</b> g.p.m. Estimated maximum yield <b>1150</b> g.p.m.																																	
11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date _____																																	
12 Well head completion: <input type="checkbox"/> Pitless adapter <input checked="" type="checkbox"/> Inches above grade																																	
13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Depth: From <b>0</b> ft. to <b>10</b> ft. <b>Cement</b>																																	
14 Nearest source of possible contamination: ft. _____ Direction <b>none</b> Type _____ Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																																	
15 Pump: <input type="checkbox"/> Not installed Manufacturer's name <b>Western Land Roller</b> Model number <b>5 stage 20 HP</b> Volts <b>440</b> Length of drop pipe <b>60</b> ft. capacity <b>900</b> g.m.p. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other																																	
16 Remarks: elevation				17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <b>Darling Drilling Co. #01189</b> Business name License No. Address <b>211 W. 4th, Hutchinson, Kans</b> Signed <b>Wendall Zimmerman</b> Date <b>5-1-78</b> Authorized representative																													