

1 LOCATION OF WATER WELL: County: Rice Fraction NW 1/4 NW 1/4 SW 1/4 Section Number 3 Township Number T 20 S Range Number R 9W E/W

Distance and direction from nearest town or city street address of well if located within city? 2E of Chase, Ks.

2 WATER WELL OWNER: Jayhawk Pipeline RR#, St. Address, Box #: 1350 10th Road City, State, ZIP Code: Chase, Ks. 67524 Board of Agriculture, Division of Water Resources Application Number:

3 LOCATE WELL'S LOCATION WITH AN 'X' IN SECTION BOX: [Diagram of section box with 'X' in SW quadrant] 4 DEPTH OF COMPLETED WELL: 127 ft. ELEVATION: unknown. WELL'S STATIC WATER LEVEL: 22 ft. below land surface measured on mo/day/yr 11/01/99. Pump test data: Well water was ... gpm: Well water was ... hours pumping ... gpm. Bore Hole Diameter: .8 in. to .127 ft. WELL WATER TO BE USED AS: 5 Public water supply, 8 Air conditioning, 11 Injection well, 1 Domestic, 3 Feedlot, 6 Oil field water supply, 9 Dewatering, 12 Other (Specify below). Was a chemical/bacteriological sample submitted to Department? Yes... No...; If yes, mo/day/yr sample was submitted.

5 TYPE OF BLANK CASING USED: 1 Steel, 2 PVC, 3 RMP (SR), 4 ABS, 5 Wrought iron, 6 Asbestos-Cement, 7 Fiberglass, 8 Concrete tile, 9 Other (specify below), CASING JOINTS: Glued, Clamped, Welded, Threaded. Blank casing diameter: 5 in. to 87 ft., Dia. in. to ... ft., Dia. in. to ... ft. Casing height above land surface: 12 in., weight: 2.8 lbs./ft. Wall thickness or gauge No. Sch. 40. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel, 2 Brass, 3 Stainless steel, 4 Galvanized steel, 5 Fiberglass, 6 Concrete tile, 7 PVC, 8 RMP (SR), 9 ABS, 10 Asbestos-cement, 11 Other (specify), 12 None used (open hole). SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot, 2 Louvered shutter, 3 Mill slot, 4 Key punched, 5 Gauzed wrapped, 6 Wire wrapped, 7 Torch cut, 8 Saw cut, 9 Drilled holes, 11 None (open hole), 10 Other (specify). SCREEN-PERFORATED INTERVALS: From 87 ft. to 127 ft., From ... ft. to ... ft., From ... ft. to ... ft. GRAVEL PACK INTERVALS: From 20 ft. to 37 ft., From 40 ft. to 127 ft., From ... ft. to ... ft., From ... ft. to ... ft.

6 GROUT MATERIAL: 1 Neat cement, 2 Cement grout, 3 Bentonite, 4 Other. Grout intervals: From 0 ft. to 20 ft., From 37 ft. to 40 ft., From ... ft. to ... ft. What is the nearest source of possible contamination: 1 Septic tank, 2 Sewer lines, 3 Watertight sewer lines, 4 Lateral lines, 5 Cess pool, 6 Seepage pit, 7 Pit privy, 8 Sewage lagoon, 9 Feedyard, 10 Livestock pens, 11 Fuel storage, 12 Fertilizer storage, 13 Insecticide storage, 14 Abandoned water well, 15 Oil well/Gas well, 16 Other (specify below) office. Direction from well? North How many feet? 140

LITHOLOGIC LOG and PLUGGING INTERVALS table. LITHOLOGIC LOG: FROM TO Description. 0 3 top soil, 3 34 clay, 34 37 sand and gravel, 37 127 fine sand with clay. PLUGGING INTERVALS: FROM TO Description.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11/1/99 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 186 This Water Well Record was completed on (mo/day/yr) 11/22/99 under the business name of Kelly's Water Well Service, Inc. by (signature) Kathryn R Good

OFFICE USE ONLY T R EW SEC 1/4 1/4 1/4