WATE	R WEI	LL RECORD	Form W	WC-5	Di	vision of Wate	r Resources App. No	20109064	
		OF WATER WELL:	Fraction		Section	on Number	Township No.	Range Number	
County: Rice			1/4 NW 1/4 NW	1/4 SW 1/4	, i	3	T 20 S	_	
		Address of Well Location;	if unknown, distance &	& direction		Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees)			
05 - 5 01 - 40						Longitude: (in decimal degrees)			
2E of Chase, KS						Elevation:			
2 WATER WELL OWNER: Jawhawk Pipeline LLC						Datum: WGS 84, NAD 83, NAD 27			
		,	10th Road		Collection Method: GPS unit (Make/Model:)				
						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Chase, KS 67524-9400						Est. Accuracy: $\square < 3 \text{ m}, \square 3-5 \text{ m}, \square 5-15 \text{ m}, \square > 15 \text{ m}$			
3 LOCATE WELL									
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL129 ft.									
SECT	SECTION BOX: Depth(s) Groundwater Encountered (1)13 ft. (2) ft. (3) ft.								
N WELL'S STATIC WATER LEVEL13ft. below land surface measured on mo/day/yr.08/31/1.0									
Pump test data: Well water wasft. after hours pumping gp									
EST. YIELD21.5gpm. Well water wasft. after hours pumping									
W E Bore Hole Diameter									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
Other (Specify below)									
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								*********	
	S						Yes XI No		
	Try by morally growth the same and the same								
water wen disinfected: [X 1 cs [] 140									
5 TYPE OF CASING USED: Steel X PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter 8 in. to									
Casing height above land surface12in., Weight 3:52lbs./ft., Wall thickness or gauge No\$ch:40									
TYPE OF SCREEN OR PERFORATION MATERIAL: 3.6 - plain									
☐ Steel ☐ Stainless Steel									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☒ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From29 ft. to49 ft., From89 ft. to129 ft.									
From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From20 ft. to129 ft., From ft. to								to ft.	
From									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)									
	Sewer li			ge	Abandoned		er (specify below)		
		ht sewer lines	oit Feedvard	storage					
Direc	ction from	n wellS.ou.th	·····						
FROM	TO	LITHOLOG		FROM	TO			GGING INTERVALS	
0	3	top soil				Primara de la composição			
3	30	clay							
30_	41	sand and gravel v	with clay strast	(5					
41	80	soft clay	violi olay solea						
80_	129	fine sand with c	lay breaks						
		38114 11 101	. ~ J DI Card						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year)8/.3.1/.10 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No186 This Water Well Record was completed on (mo/day/year)09/.14/.10									
under the business name of Kelly's Water Well Service, Inc. by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212									