WATER WELL RECORD			Form WWC-5		Division of Water I	Resources App. No	о.	
		OF WATER WELL:	Fraction			Township No.	Range Number	
County: Rice			1/4 NW 1/4 NE 1/4 N		<u> </u>		R 9 □E 🗗 W	
	Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:							
from	nearest 1	town or intersection: If at o	owner's address, check here [	Latitude: (in decimal degrees)				
2 S	outh, 1/2	2 West of Chase			Longitude: (in decimal degrees)			
						Elevation:		
2 WATER WELL OWNER: Rick & Nancy Hostetler					Datum:   WGS 84,   NAD 85,   NAD 27   Collection Method:			
RR#, Street Address, Box #: 740 Avenue O				GPS unit (Make/Model:)				
City, State, ZIP Code : Chase, KS 6752			-·· <del>-</del> -		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
•		Onase,	10001024		Est. Accuracy: $\square$ <3	m, 🔲 3-5 m, 🔲	5-15 m, □ >15 m	
3 LOCATE WELL 120								
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 120 ft.							
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1)							
	Pump test data: Well water wasft. after							
	17-NW NC 1							
w	W   E   Bore Hole Diameter 1.9							
M Demostic								
SW SE								
Was a chemical/bacteriological sample submitted to Department?  Yes V No								
S If yes, mo/day/yr sample was submitted								
1 mile  Water well disinfected? ✓ Yes □ No								
5 TVD	FOFC	ASING USED:	V PVC ☐ Other					
						••		
CASING JOINTS:  Glued  Clamped  Welded  Threaded  Casing diameter .5								
Casing height above land surface. 18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No.								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
		☐ Galvanized Steel			, , , , , ,			
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From 100 ft. to 60 ft.								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From 120 ft. to 20 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From 20 ft. to ft.								
Grout Ir	itervals:	From ft. to	ft., From .20	f	t. to .0 ft F	From	ft. toft.	
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well House  Direction from well West Distance from well								
FROM		LITHOLOG					GGING INTERVALS	
0	4		IC LOO FRO	IAT	TO LITHO. LOC	o (cont.) or PLU	OUING INTERVALS	
4	63	Top soil	······					
63	100	sandy tan clay Caliche/ ironated rock/	olov					
100	120	Gray shale	Ula y					
100	120	Clay Shalt		-				
				-				
		· · · · · · · · · · · · · · · · · · ·						
	-							
	-			<del></del>				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .8713								
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 8-17-13								
under the business name of Rosencrantz-Bemis Ent Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Vi sit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> .								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								