WATER WELL RI		WWC-5		ision of Water	MW	-6	
Original Record		ge in Well Use		urces App. No.		-0=	
1 LOCATION OF WA	Fraction NE NW 1/4				■ W		
2 WELL OWNER: La	ct Name	First:		ral Address wi	here well is located (if unknown, distance a		
Business: CHS	T Hot.	direction from nearest town or intersection): If at owner's address, check here:					
Address: 2000 S. Ma	ain St.			nawk Pipeline Chase 1 Station, 1/2 mile south of intersection			
1.00				f US Hwy 56 & 10th Road.			
2 TOGETH WILL							
4 DEPTH OF COMPLETED WELL:						egrees)	
Depth(s) Groundwater Encountered: 1)							
WELL'S STATIC WATER LEVEL: NA				Source for Latitude/Longitude:			
below land surface, measured on (mo-day-yr)							
above land surface, measured on (mo-day-yr)				(WAAS enabled? Yes No)			
	Pump test data: Well water was ft.			☐ Land Survey ☐ Topographic Map			
WX E	after hours pumping gpm Well water was ft.			☐ Online Mapper:			
SW SE	after hours pumping gpm				NIA		
	Estimated Vield: gpm				n: NA ft. Ground Level		
S	8.25 in to 20	ft. and	ft. and Survey GPS Topographic Map				
11. to							
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID							
Household     Household	_	ng: how many wells?					
☐ Lawn & Garden							
□ Lawn & Garden       7. □ Aquifer Recharge: well ID       □ Cased □ Uncased □ Geotechnical         □ Livestock       8. ■ Monitoring: well ID       12. Geothermal: how many bores?							
	2. ☐ Irrigation 9. Environmental Remediation: well ID						
3. ☐ Feedlot 4. ☐ Industrial	☐ Air Sparg ☐ Recovery		extraction		(specify):		
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:							
8 TYPE OF CASING USED: Steel PVC Other CASING IOINTS: Glined Clamped Welded Threaded							
Casing diameter							
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot							
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From .10 ft. to .20 ft., From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
Septic Tank							
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well							
☐ Other (Specify)  Direction from well?  Distance from well?  ft.							
10 FROM TO	LITHOLO		FROM		THO. LOG (cont.) or PLUGGING INTER	VALS	
	lay				, , , , , , , , , , , , , , , , , , , ,		
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
	And the second second				1644		
					AL (N=10)		
		W-1.	N-4-				
Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) 7.7.7.17							
Kansas Water Well Contractor's License No. 604							
under the business name	of Frivironmental P	Checonstructed well to: Ver	Si	of Health and En	vironment Bureau of Water GWTS Section		
Mail I white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA					Revised 7/10/20	15	