USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

flotter

						_		·			
1. Location of well:	County	Fracti				Section r	number	Township number	Range number		
	Rice	С	1/4 Ne	1/4 NE		4		T 20 s	r 9	<u>E(</u> W)	
2 Fast of Chase						B. Owner of well: Mobil Oil Co.					
Street address of well location if in city: City, state, zip code:						ode: C	Chase Kansas				
4. Locate with "X" in section below: Sketch map:								6. Bore hole dia. 10 in. Completion date Well depth 92 ft. 11-7-76			
W NE								7 Cable tool X_ Rotary Driven Dug			
								Hollow rod Jetted Bored Reverse rotary			
								8. Use: Domestic Public supply Industry			
								Irrigation Air conditioning Stock X Lawn Oil field water Other			
SW SE I I I I I I I I I I I I I I I I I I								9. Casing: Material place Height: Above or below			
								Threaded Welded Surface in. RMP PVC Weight 200 lbs./ft. Dia. 22 in. to 12 ft. depth Wall Thickness: inches			
1 <u>Mi</u>	le							Dia. 52 in. to 92ft. dep	th Wall Thickness: in	nches or	
5. Type and color of	material					From	To	Dia in. to ft. dept	th gage No		
m- 0-13			***					10. Screen: Manufacturer's n	R/B		
Top Soil						0	3	Турерус	_ Dia <u>52</u>		
Hard Clay	y					3	30	Slot/game 1/16 Set between 72/16	Length 92	10	
Good Sand						30	55	ft. o	anda	+ 3/1 ^{ft} ·3/4	
	diavor				***			Gravel pack? X Size ra		(1-1/-	
Clay						55	58	11. Static water level: 21 ft. below land sur	face Date 11-6	2 - 76	
Sand						58	70	12. Pumping level below land	surfaces:	+	
Cl our						70	70	ft. after ft. after ft.			
Clay							72	Estimated maximum yield 1(g.p.m.	
Fine Sand	1					72	92	13. Water sample submitted:		o./day/yr.	
								YesNo	11 7 7	''	
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			2.102.2				X Pitless adapter	18 Inches above	grade	
						1		15. Well grouted?	Posterite	N	
						1		With: Neat cement Depth: From ft. to	10 ft.	Concrete	
								16. Negrest source of possible	e contamination:		
								ft. 100 Direction W6 Well disinfected upon comple		No	
								17. Pump:	Not installed		
								Manufacturer's name <u>Rec</u> Model number <u>5CC</u>	7	——I N	
									2 ft. capacity	18 .p.m. 6	
								Type:	Turbir		
								Submersible Jet		rocating	
	(Use a second s	heet if	needed)					Centrifugal	Other		
18. Elevation:	19. Remarks:							20. Water well contractor's of This well was drilled under m		is report	
Tanaanah								is_true to the best of my know	ledge and belief.		
Topography: Hill								Rosencrantz-Be	Li	134 Sense No.	
Slope								Address Greant	Bend, Ks.		
Vpland Valley								Signed Fledus Authorized rep	oresentative	, // /	