USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)
Topeka, Kansas 66620

House

						Toperd, Kalisas 00020	
1. Location of well:	County Fraction			Section number		Township number Range number	
	Rice	SW 1/4 SE 1/4 SE	1/4	_	11	T 20 S R 9 E/W	
				ner of well:		Don Crow	
3 3/4 m. East and 1 3/4 South of Chase, Ks. R.R. or City, s				or street: state, zip code:		Chase, Kansas 67524	
4. Locate with "X" in section below: Sketch map:						6. Bore hole dig. 11 in. Completion date Well depth 60 ft. 8-31-79	
						7 Cable tool X_ Rotary Driven Dug	
NW NE						Hollow rod Jetted Bored Reverse rotary  8. Use: X Domestic Public supply Industry	
					Irrigation Air conditioning Stock Lawn Oil field water Other		
					9. Casing: Material PVC Height: Above or Laboration Inc.		
S 1 <del>4</del> 1 M						RMP PYC Weight Ibs./ft. Dia 1/2 to 60 ft. depth Wall Thickness: inches or	
5. Type and color of				From	То	Dia in. to ft. depth gage No 238	
top soil				0	2	10. Screen: Manufacturer's name	
clay				2	16	Slot/gauze 1/16 Length 20 Set between 60 ft. and 40 ft.	
sand and	gravel			16	23	ft. andft. Gravel pack? _X Size range of materia \( \begin{align*} \frac{1}{4} - \frac{3}{8} - \end{align*} \]	/2
blue gravel				23	38	11. Static water level: mo./day/yr.  10 ft. below land surface Date 8-3-79	
sand and gravel				38	60	12. Pumping level below land surfaces:	
						ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m.	
						Estimated maximum yieldg.p.m.  13. Water sample submitted:mo./day/yr.	
						<u>x</u> Yes No Date <b>&amp;_3_79</b>	
						Pitless adapter Inches above grade	
						15. Well grouted? <b>X</b> With: <b>X</b> Neat cement Bentonite Concrete  Depth: From <b>O</b> ft. to <b>10</b> ft.	1-10
						16. Negrest source of possible contamination: ft	ank
						Well disinfected upon completion? X YesNo  17. Pump: Not installed	
	·					Manufacturer's name Red Jacket  Model number 9 BC HP 5 1/2 olts 230	21,2
				-		Length of drop pipe 42 ft. capacity 10 g.p.m. Type:	(§)"
				-		Submersible Turbine Reciprocating	Į
	(Use a second s	heet if needed)				Centrifugal Other	Sec .
18. Elevation: 19. Remarks:					20. Water well contractor's certification: This well was drilled under my jurisdiction and this report		
Topography:						is true to the best of my knowledge and belief.  Rosencrantz-Bemis 134	$\sqrt{ z }$
— Hill					Business name License No.	[ ] 8	
Slope						Address Box 713 Great Bend, KS	
Upland _XValley						Signed Authorized representative Date	120
X Valley	and sink series to the Double of	of Hould and Southern			_	Authorized representative	, 14[