

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Rice	Fraction NE 1/4 NE 1/4 NE 1/4	Section number 22	Township number T 20	Range number S R 9	E W																											
2. Distance and direction from nearest town or city: 2 miles south 5 miles west of Lyons Street address of well location if in city:				3. Owner of well: Kenneth Knight R.R. or street: RR 1 City, state, zip code: Lyons, Kansas																														
4. Locate with "X" in section below: N W E S 1 Mile			Sketch map:			6. Bore hole dia. 28 in. Completion date 7/26/75 Well depth 59 ft.																												
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;"></td> <td style="width:10%; text-align:center;">From</td> <td style="width:10%; text-align:center;">To</td> <td style="width:30%;"></td> </tr> <tr> <td style="text-align:center;">Top soil</td> <td style="text-align:center;">0</td> <td style="text-align:center;">3</td> <td></td> </tr> <tr> <td style="text-align:center;">Brown clay</td> <td style="text-align:center;">3</td> <td style="text-align:center;">5</td> <td></td> </tr> <tr> <td style="text-align:center;">Sand and gravel</td> <td style="text-align:center;">5</td> <td style="text-align:center;">39</td> <td></td> </tr> <tr> <td style="text-align:center;">Clay</td> <td style="text-align:center;">39</td> <td style="text-align:center;">40</td> <td></td> </tr> <tr> <td style="text-align:center;">Gravel</td> <td style="text-align:center;">40</td> <td style="text-align:center;">59</td> <td></td> </tr> <tr> <td style="text-align:center;">Brown clay</td> <td style="text-align:center;">59</td> <td style="text-align:center;">---</td> <td></td> </tr> </table>				From	To		Top soil	0	3		Brown clay	3	5		Sand and gravel	5	39		Clay	39	40		Gravel	40	59		Brown clay	59	---		7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
				From	To																													
			Top soil	0	3																													
			Brown clay	3	5																													
			Sand and gravel	5	39																													
			Clay	39	40																													
			Gravel	40	59																													
Brown clay	59	---																																
9. Casing: Material Transition Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 30 lbs./ft. Dia. 16 in. to 33 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 3/4		10. Screen: Manufacturer's name Jahngsen Type slotted Dia. 16 Slot/gauze 3/16 Length 24 Set between 33 ft. and 54 ft. ft. and <input type="checkbox"/> ft. Gravel pack? yes Size range of material 1/8-1/4																																
11. Static water level: <input type="checkbox"/> mo./day/yr. 9 ft. below land surface Date 7/16/75		12. Pumping level below land surfaces: 43 ft. after 1 hrs. pumping 1000 g.p.m. 37 ft. after 1/2 hrs. pumping 800 g.p.m. Estimated maximum yield 1050 g.p.m.																																
13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date 7/16/75		14. Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade																																
15. Well grouted? <input checked="" type="checkbox"/> With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.		16. Nearest source of possible contamination: ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																																
17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Fairbanks-Morse Model number 9-121A HP 50 Volts 440 Length of drop pipe 40 ft. capacity 250 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Darling Drilling Co 189 Business name License No. Address 1221 W. 14th Hutchinson, Ks Signed Donald Darling Date 7-16-75 Authorized Representative																																
18. Elevation:		19. Remarks:		(Use a second sheet if needed)																														
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley																																		

20-90-22 SE NE NE