1 LOCAT	TION OF W	W/ ATER WELL:	ATER WELL REC	CORD Form WW		a-1212 ID	No	nship Number		je Numi	her
County:		herson		SE 14 SE		.3 کے 3	T T	2/ s	R	/	BW)
				address of well if loca				3	n		
				Hessto			22.60	RO			
2 WATER	R WELL ON	/NER:	10-1101	Mennon.	40 (1.	1006	pache	16			· · · · ·
	ddress, Box	, ,	P94 Apa		TE CHU	ire	Doo	ud of Amilaultura D	indian of M	otor Do	
City, State,	,	$\mathcal{H}$ :	eschola	KS 6706	2			rd of Agriculture, D lication Number:	IVISION OF VV	alei ne	sources
		DCATION WITH	m = = =	COMPLETED WELL	25	ft FLF					
	N SECTION			ndwater Encountered	_			ft. 3			f+
7.1.7.1.	Ņ		WELL'S STATI	C WATER LEVEL	ිft. b	elow land sur	 face measure	เเ. ง d on mo/dav/vr	3-30	-ي،	; IL.
	!	!	Pu	mp test data: Well	water was🖨	اا	ft. after	hours p	umping🛋	₹	gpm
_	-NW	NE	Est. Yield	gpm: Well	water was		ft. after	hours p	umping		gpm
	1	112		TO BE USED AS:	5 Public wate		8 Air cond		jection well		
w_	1	!E	Domestic 2 Irrigation		6 Oil field wa		9 Dewate 1) 10 Monitor	ring 12 C	ther (Specif	•	
**	!		L migation	4 moderna	/ Domestic (	awn a garaci	1) 10 1410111101	ing won	***************************************	•••••	
_	-sw	SE		-10				٠. ٠			
was a chemical mitted				al/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs sample was sub Water Well Disinfected? Yes							
	1	مر	milled				Water Well Di	sillected: (es)		NO	
	S										
	TYPE OF BLANK CASING USED:			5 Wrought iron		8 Concrete tile		NG JOINTS: Glue			
1 Steel 3 RMP (SR)  ②PVC 4 ABS			H)	6 Asbestos-Cement 7 Fiberglass		9 Other (specify below)			ed aded		
			in to	2.3 ft., Di		in to	.3/				
	-	and surface		in., weight				,			
-	_			III., weight							
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel			_		ZPVC 8 RMP (SR)		10 Asbestos-Cement 11 Other (Specify)				
2 Brass 4 Galvanized Steel								None used (open hole)			
SCREEN (	OR PERFO	RATION OPENII	NGS ARE:	5 (	Guazed wrappe	d	<b>⊗</b> Saw c	ut	11 None (	open ho	ole)
1 Continuous slot 3 Mill slot				6 Wire wrapped		9 Drilled			opo	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	vered shutte		Key punched	7 7	Torch cut		10 Other	(specify)			ft.
SCREEN-I	PERFORAT	ED INTERVALS	: From	23 ft. to	28	ft Fro	om	ft. to			ft.
			From	ft. to		ft., Fro	om	ft. to			ft.
(	GRAVEL PA	CK INTERVALS		ft. to على المراجع							
			From	ft. to		π., ⊢rc	om	tt. to	•••••	•••••	π
6 GROL	JT MATERIA	AL: 1 Nea	it cement	2 Cement grout	<b>€</b>	entonite	4 Other				
Grout Inter	rvals: Fro	m3	ft. to 2 /	ft., From	f	. to					
What is the	e nearest so	ource of possible	contamination:	,			estock pens		bandoned v		
	1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel storage			15 Oil well/Gas well		
2 Sewer lines 5 Cess pool			Sewage lagoon					16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit			9 Feedyard		13 Insecticide stora						
Direction fr		NE						300			
FROM	ТО		LITHOLOGIC	CLOG	FROM	ТО		PLUGGING IN	TERVALS		
0	2	BK To									
2	10	2	ac								· ·
10	14		and								1
14	19		Sand								
19	28		Sand								•
28	85	Shale	Juna								
	0.5	0 1100.									
										٠.	
										-	
		<u> </u>									
7 CONTE	ACTORIO C	D LANDOW:	DIO OFFICIA	TION. THE	" (2)						
□ CONTR.	acion's (	A LANDOWNE	:HS CERTIFICA -36-05	TION: This water we	ell was (1))cons	tructed, (2) re	econstructed,	or (3) plugged und	er my juriso	diction a	and was
Mater Mali	Contractor's	rtai)	447	This W	otor Mall Dage	and this	record is true t	to the best of my kn	owiedge and	u pellet.	\ansas
	usiness nan				ater Well Meco		etea on (mo/aa y (signature)				
		171	ller Dri	iing			, (oigilatale)	mil	res_		

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.