

[1] LOCATION OF WATER WELL: County: <u>Mpherson</u>		Fraction <u>SE ¼ NE ¼ SE ¼</u>	Section Number <u>9</u>	Township Number <u>N 21 S</u>	Range Number <u>R 1 E/W</u>
Distance and direction from nearest town or city street address of well if located within city? <u>6½ miles North of Hesston</u>					
[2] WATER WELL OWNER: <u>Melvin Miller</u> RR#, St. Address, Box # : <u>Rte 2 Box 46</u> City, State, ZIP Code : <u>moundridge Ks, 67107</u>				Board of Agriculture, Division of Water Resources Application Number:	
[3] LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		[4] DEPTH OF COMPLETED WELL: <u>23'</u> ft. ELEVATION:			
A diagram showing a section box divided into four quadrants labeled NW, NE, SW, and SE. An 'X' is drawn in the SE quadrant. To the left of the box are vertical arrows indicating distance in miles.		Depth(s) Groundwater Encountered 1.....ft. 2.....ft. 3.....ft. WELL'S STATIC WATER LEVEL ... <u>9'</u> ...ft. below land surface measured on mo/day/yr Pump test data: Well water wasft. after hours pumping gpm Est. Yield gpm; Well water wasft. after hours pumping gpm Bore Hole Diameterin. toft., andin. toft. WELL WATER TO BE USED AS: <u>1 Domestic</u> 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No			
		[5] TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS Blank casing diameterin. toft., Diain. toft., Diain. toft. Casing height above land surfacein., weightlbs./ft. Wall thickness or gauge No.			
		TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) NA SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 10 Other (specify) NA 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 11 None (open hole)			
		SCREEN-PERFORATED INTERVALS: From NA ft. to NA ft., From NA ft. to NA ft. GRAVEL PACK INTERVALS: From NA ft. to NA ft., From NA ft. to NA ft.			
[6] GROUT MATERIAL: 1 Neat cement 3 Cement grout 5 Bentonite 4 Other Grout Intervals: From NA ft. to NA ft., From NA ft. to NA ft., From NA ft. to NA ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) NA Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
		plug old galv. cased well			
23 - 5'		bentonite hole plug			
5 - 3'		cement gap			
3 - 0		Casing abandoned - fill dirt			
[7] CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>6-2-93</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. _____ This Water Well Record was completed on (mo/day/yr) <u>6-2-93</u> under the business name of _____ by (signature) <u>Melvin D. Miller</u>					