WATER WELL RE	ECORD Form WWC-5 Correction Change in Well Use		Division of Water Resources App. No.			Well ID		
1 LOCATION OF WA	TER WELL: Fragtion				Township Numb	er Range Number		
County: //C P/ 2 WELL OWNER: Last				1 Address w	T 17 S	R 3 DE W (if unknown, distance and		
Business: direction from nearest town or intersection): If at owner's address, check here:								
Address:	423	5 le	O. GARF	IEND				
Address: City: LINDS DOC6 State: X S ZIP: 67456 3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL; 66 ft. 5 Latitude:								
WITH "X" IN	4 DEPTH OF COMPLETE Depth(s) Groundwater Encounter	ed: 1)	Ω ft.			(decimal degrees)		
SECTION BOX:	2) ft. 3)	ft., or $4)$	Dry Well	Dry Well Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27				
	WELL'S STATIC WATER LEVEL: A Summer of the state of t				Source for Latitude/Longitude: GPS (unit make/model:)			
NWNE	above land surface, measured Pump test data; Well water was	r)	(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map					
W E	after hours pumping	pm						
SW SE	Well water was ft. after hours pumping gpr			pm				
	Estimated Yield:gpm	6 Elevation:tt. Ground Level 100						
S 1 mile	Bore Hole Diameter: in	n. to Le Le n. to	ft, and . ft.		The state of the s	Of 5 LI Topograpine map		
7 WELL WATER TO BE USED AS:								
1. Domestic: Household	5. ☐ Public Water Supple6. ☐ Dewatering: how n							
💢 Lawn & Garden	7. Aquifer Recharge: well ID							
☐ Livestock 2. ☐ Irrigation	8. ☐ Monitoring: well ID			. a) Closed Loop				
3. Feedlot 4. Industrial				b) Open Loop				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
NYTH ALL TO A STATE OF THE ALL								
Water well disinfected?								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot. Gauze Wrapped Torch Cut Drilled Holes Other (Specify)								
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.								
Grout Intervals: From								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
Sewer Lines Watertight Sewer Line		☐ Sewage Lag		Fertilizer Stora	Patrick.	ell/Gas Well		
Other (Specify) Direction from well? Distance from well? Distance from well? TO HITTO LOG (see a) at PLUCGING DITERVALS.								
10 FROM TO	LITHOLOGIC LOC	G	FROM	TO I		or PLUGGING INTERVALS		
2 35	CLAY BOOWN TO	O DARK	CAA					
45 50	SANDY LOOM TH	110	(SCA)					
50 45	JAND FINE TO	MED. TI	40			Aller		
los lele	SHALE RED							
			Notes:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, constructed, reconstructed, plugged under my jurisdiction and was completed on (mo.day.year) and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No								
under the business name	under the business name of PEST INSCREE. PROMISE SERVICES. INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas							
Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.								
Visit us at http://www.kdhe	ks.gov/waterwell/index.html		KSA 82a-12	212		Revised 9/10/2012		