	•								
NRCS #  WATER WELL RECORD Form WWC-5 Division of Water Resources App. No.									
		OF WATER WELL:	Fraction	WC-5				ge Number	
	nty: Ric		SW 1/4 NW 1/4 NE	4 SW 1/4		4 T	21 S R 1	O □E ☑W	
		Address of Well Location;			Glob	al Positioning System	n (GPS) informa	tion:	
1	from nearest town or intersection: If at owner's address, check here .					Latitude: .38.25177 (in decimal degrees)  Longitude: .098.43016 (in decimal degrees)			
From Raymond 2S WSR					Elev	Elevation: 1713			
2 WATER WELL OWNER: Audria Bieberle					Colle	Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
	RR#, Street Address, Box #: 260 Ave. C City, State, ZIP Code : Rushton, Kansas 67427					☐ GPS unit (Make/Model: Garmin 62s ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
		Busino	n, Kansas 67427	Est.	Est. Accuracy:				
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 40									
	WELL'S STATIC WATER LEVEL13ft. below land surface measured on mo/day/yr6/8/2016								
	Pump test data: Well water wasft. after hours pumping gpm								
	W NW NE E EST. YIELD								
"	W								
	Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well Stock								
	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No								
S If yes, mo/day/yr sample was submitted									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS:  Glued  Clamped  Welded  Threaded									
Casing diameter .5 in. to .30 ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface18 in., Weight 160 lbs./ft., Wall thickness or gauge No214 TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel PVC Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From30 ft. to40 ft., From ft. to ft.									
From						ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: From 40 ft. to15						ft., From	ft. to	ft.	
From									
Grout In	ntervals:	From .15 ft. to	.0 ft., Fron	n	ft. to	ft., From .	ft. to	ft.	
		est source of possible conta	mination:						
	☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well N/A									
Direction from well									
FROM	TO	LITHOLOG	IC LOG	FROM	ТО	LITHO. LOG (con	t.) or PLUGGIN	IG INTERVALS	
4	7	Sandy top soil Brown clay silty						· · · · · · · · · · · · · · · · · · ·	
7	40	Med. sand & gravel		1					
		A Lating							
<u> </u>				1					
<del></del>	<del> </del>								
			<del></del>						
				<del>                                     </del>			· · · · · · · · · · · · · · · · · · ·		
			W	+					
7 CON	TRACT	OR'S OR LANDOWNER	'S CERTIFICATIO	N: This water	er well	was Z constructed,	reconstructed,	or plugged	
under m	y jurisdi	ction and was completed or	n (mo/day/year) .6/8/2	2016 ar	nd this r	ecord is true to the be	st of my knowle	edge and belief.	
Kansas	Water W	ell Contractor's License N	o ]. <del>7. 1</del> This '	Water Well R	ecord v	vas completed on (mo	/day/year) .9/13	<b>7</b> ∠U10	