KOLAR Document ID: 1523413

	WELL R	ECORD Correction		WWC-5 e in Well Use		vision of Wa sources App.			Well ID		
		ATER WEL		Fraction		ction Numb		Township Numbe		ge Number	
County: $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$						$\begin{array}{c c} T & S & R & \Box E & \Box W \end{array}$					
Business: di Address: Address:						treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:					
City:			State:	ZIP:							
3 LOCAT WITH "				IPLETED WELL:		it. 5 Lati	tude:			(decimal degrees)	
	SECTION BOX: Depth(s) Groundwater Encountered: 1) 2) ft. 3) ft., or 4) \Box					8					
	N										
			WELL'S STATIC WATER LEVEL: below land surface, measured on (mo-day-yr)					unit make/model:			
NW	NE			y-yr)			WAAS enabled?				
		Pump test da	ata: Well w				Survey 🗌 Topogra				
W X	E	aner	Well v			□ Online Mapper:					
SŴ	SE		hours	gpm	6 Elor	otion					
	s	Estimated Y		6 J	6 Elevation:ft. □ Ground Level □ TOC <u>Source</u> : □ Land Survey □ GPS □ Topographic Map						
1 r	Bore Hole L	ore Hole Diameter: in. to in. to									
7 WELL WATER TO BE USED AS:											
1. Domestic:				ter Supply: well ID							
	□ Household 6. □ Dewatering: how many wells										
	□ Lawn & Garden 7. □ Aquifer Recharge: well ID □ Livestock 8. □ Monitoring: well ID										
	□ Irrigation 9. Environmental Remediation: well ID					a) C	a) Closed Loop 🔲 Horizontal 🗌 Vertical				
				Extraction		Dpen Loop Surface Discharge Inj. of Water					
4. Industrial Recovery Injection 13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel PVC Other (Specify)											
Steel Statiliess Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
Continuous Slot I Mill Slot Gauze Wrapped Torch Cut I Drilled Holes Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From											
GRAVEL PACK INTERVALS: From											
9 GROUT MATERIAL: Divert cement Cement grout Bentonite Other											
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.											
Nearest sou			o n: No Lateral Line	potential source of co		Ithin 200 ft.] Livestock P	Pens	Insectic	ide Storage		
			Cess Pool	Sewage L	agoon [Fuel Storag				Well	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well											
Direction from well? ft.											
10 FROM	TO		ITHOLOG		FROM	ТО		THO. LOG (cont.) or	PLUGGIN	G INTERVALS	
					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged											
under my j	urisdiction a	nd was compl	eted on (n	no-day-year)	and	l this record	l is tru	ue to the best of my	y knowled	ge and belief.	
				This W							
		Send one copy to	WATER W	ELL OWNER and retain	n one for your re	cords. Fee of \$	\$5.00 f	for each constructed we	11.		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											