KOLAR Document ID: 1532496

WATER WELL	RECORD Correction		WWC-5 ge in Well Use		vision of Wat ources App. 1			Well ID				
1 LOCATION OF WATER WELL:			Fraction		on Number Township Numb			ge Number				
County:				4 ¹ /4	¹ / ₄ T S R							
					Street or Rural Address where well is located (if unknown, distance and lirection from nearest town or intersection): If at owner's address, check here:							
City:	1	State:	ZIP:									
3 LOCATE WELL	3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:						ft. 5 Latitude :(decimal degrees)					
SECTION BOX:	Depth(s) G			Longitude:(decimal degrees)								
N	2) WELL'S S'		Dry Well	Datum: 🗌 WGS 84 🔲 NAD 83 🗌 NAD 27								
			n. v-yr)		Source for Latitude/Longitude:							
X - NW NE	above l	and surface	, measured on (mo-day	yr)		(WAAS enabled? ☐ Yes ☐ No)						
	Pump test d				□ Land Survey □ Topographic Map							
W E	aner	after hours pumping gpm Well water was ft.				Online Mapper:						
SWSE		hour	. gpm	6 Flov	otion	. fi	Ground					
	Estimated Y Bore Hole I		ft and		6 Elevation :ft. □ Ground Level □ TOC <u>Source</u> : □ Land Survey □ GPS □ Topographic Map							
1 mile	Doite Hole		ft.									
7 WELL WATER TO BE USED AS:												
1. Domestic:	5. Public Water Supply: well ID C Dewatering: how many wells?											
Lawn & Garden					\Box Cased \Box Uncased \Box Geotechnical							
Livestock			~		12. Geothermal: how many bores?							
 2. ☐ Irrigation 3. ☐ Feedlot 		nvironment] Air Sparg	D Extraction		a) Closed Loop							
4. Industrial	Ē		Excludion		13. Other (specify):							
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel Steinless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From												
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From												
Septic Tank		Lateral Line			Livestock P	ens	☐ Insectic	ide Storage				
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well												
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)												
Direction from well?		<u></u>	Distance from w	vell?								
10 FROM TO]	LITHOLO	GIC LOG	FROM	ТО	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS			
				Notes:	1	1						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged												
under my jurisdiction Kansas Water Well Co	and was comp	leted on (n	no-day-year)	and	this record	is tru	ie to the best of my	y knowled	ge and belief.			
under the business nar	Send one copy t	o WATER W	/ELL OWNER and retain	one for your rec	ords. Fee of \$	5.00 f	or each constructed we	11.				
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdbeks.gov/waterwell/index.html KSA 82a-1212												