		<u>ER WELL REC</u>	ORD Form W		82a-1212 IL					
1 LOCATION OF WATER WELL: Fraction				1	Section Numbe		nip Number	Range Nun	nber	
County: Staffor	rd	NE 1/4	NE 1/4	SW 1/4	10	Т	21 _S	R 11w	Ε/W	
Distance and direction	n from nearest tow	vn or city street	address of well it	f located within	city?					
9N, 7E of Hu	idson. Ks.									
2 WATER WELL ON	VNER: Tedd J	I. Kimmel	St	erling Di	rilling Co	mpany		Sleepe	r 3-10	
DD# St Address Bo		Box 913	P.	O. Box 1	L006	Board (of Agriculture 1	Division of Water		
RR#, St. Address, Bo City, State, ZIP Code	: Hutchi	inson, Ks.	67504 Pi	catt, Ks.	67124	Applica	tion Number:	20000206		
3 LOCATE WELL'S LO	OCATION WITH 4	DEPTH OF C	OMPLETED WE	LL65	ft. ELEV	ATION: unk	nown			
AN "X" IN SECTIO	N BOX:	Depth(s) Ground	lwater Encountere WATER LEVEL .	ed 117	7 f	t. 2	ft. 3		ft.	
A !	!		p test data: Well							
NW	NE		Ogpm: Well							
			eter8							
w W	1 1 1		_						11.	
w X	—— E V		O BE USED AS:					njection well Other (Specify be	المسا	
1 1 1	i	1 Domestic	3 Feedlot		ater supply	_			•	
sw	SE	2 Irrigation	4 Industrial	/ Domestic (awn & garden)	10 Monitoring V	veii			
↓	v	Nas a chemical/b	acteriological samp	ole submitted to					e was sub-	
Š		mitted			Wat	er Well Disinfe	cted? Yes	N		
5 TYPE OF BLANK	CASING USED:		5 Wrought iron					ed Clampe		
1 Steel	3 RMP (SR)	•	6 Asbestos-Cem	ent 9 Oth	er (specify bel	ow)	Weld	ded		
2 PVC	4 ABS		7 Fiberglass				. Thre	aded		
Blank casing diamete	er 5	in. to 45 .	ft., Dia .		.in. to	ft., Di	a	in. to		
Casing height above	land surface	12 in	weight 2	.8	lbs	s /ft. Wall thickr	ness or gauge N	Sch. 4	0	
			i., woigin							
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel !			5 Fiberglass	7_PVC Fiberglass 8 RMP (SR)			10 Asbestos-cement 11 Other (specify)			
1 Steel 2 Brass	4 Galvanize		6 Concrete tile		ABS		None used (o			
						8 Saw cut		11 None (open	holo)	
SCREEN OR PERF 1 Continuous slo				Gauzed wrapp Wire wrapped		9 Drilled h		i i None (open	i ilol e)	
2 Louvered shutt		punched		Torch cut					ft.	
SCREEN-PERFORA	•	•			# Ero		• •			
SCHEEN-PERFORA	ATED INTERVALS	From	ft.	to 6:5	ft Fro	m	ft 1	to		
GRAVEL F	PACK INTERVALS	From 2		to 65	ft Fro	m	ft. 1	to	ft.	
GIAVELI	AOR INTERVALO	From		to	ft., Fro	m	ft. 1	to	ft.	
6 GROUT MATERIA			2 Cement grout							
Grout Intervals: Fr										
What is the nearest source of possible contamination:						10 Livestock pens		14 Abandoned water well		
1 Septic tank	4 Laterai	lines	7 Pit privy			11 Fuel storage		15 Oil well/Gas well		
2 Sewer lines	5 Cess p	oool	8 Sev	vage lagoon	12 Fert	12 Fertilizer storage		16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit			9 Feedyard		13 Inse	13 Insecticide storage				
Direction from well?	South				How m	any feet? 10	0			
FROM TO		THOLOGIC LO	G	FROM			PLUGGING II	NTERVALS		
0 10	top soil									
		•								
	clay	1 create 1								
11 19	sand and	graver							-,	
19 25	clay									
25 65	sand and	gravel								
	1									
							(0)			
7 CONTRACTOR'S										
completed on (mo/day	y/year) 10 ./ .3	₹\″0			. and this reco	ord is true to th	e best of my kn	nowledge and beli	et. Kansas	
Water Well Contractor	r's Licence No	186	This Wate	er Well Record	was completed	d on (mo/day/yr) . ' <u>'</u> '	····		
under the business na	_{ame of} Kelly'	s Water W	ell Service	e, Inc.	by (s	signature) 🚜	altum	KHoac	#	
	_						-			