

1 LOCATION OF WATER WELL: Fraction NE 1/4 NE 1/4 NE 1/4 Section Number 10 Township Number T 21 S Range Number R 11W EW

Distance and direction from nearest town or city street address of well if located within city?

8N, 7E of Hudson, Ks.

2 WATER WELL OWNER: First National Bank of Hutchinson Sterling Drilling Co. Fair lease RR#, St. Address, Box #: c/o Tedd Kimmel, P. O. Box 913 P. O. Box 1006 Board of Agriculture, Division of Water Resources City, State, ZIP Code: Hutchinson, Ks. 67514 Pratt, Ks. 67124 Application Number: 20010029

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram of a 36-section grid with 'X' in the NE section] 4 DEPTH OF COMPLETED WELL: 62 ft. ELEVATION: unknown. Depth(s) Groundwater Encountered: 1. 16 ft. 2. 16 ft. 3. 16 ft. WELL'S STATIC WATER LEVEL: 16 ft. below land surface measured on mo/day/yr 02/23/01. Pump test data: Well water was ... ft. after ... hours pumping ... gpm. Est. Yield: 60 gpm. Well water was ... ft. after ... hours pumping ... gpm. Bore Hole Diameter: 8 in. to 62 in. to ... ft. and ... in. to ... ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well. Was a chemical/bacteriological sample submitted to Department? Yes. No. ; If yes, mo/day/yrs sample was submitted. Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 PVC 4 ABS XX 5 7 Fiberglass 9 Other (specify below) Welded Threaded. Blank casing diameter ... in. to ... ft., Dia ... in. to ... ft., Dia ... in. to ... ft. Casing height above land surface: 12 in., weight 2.8 lbs./ft. Wall thickness or gauge No. Sch. 40. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 9 ABS 12 None used (open hole). SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 10 Other (specify) 7 Torch cut 10 Other (specify) ft. SCREEN-PERFORATED INTERVALS: From 42 ft. to 62 ft., From ... ft. to ... ft. GRAVEL PACK INTERVALS: From 29 ft. to 62 ft., From ... ft. to ... ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other. Grout Intervals: From 0 ft. to 29 ft., From ... ft. to ... ft., From ... ft. to ... ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage. Direction from well? Southeast How many feet? 130

Table with 6 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows: 0-4 top sand, 4-8 clay, 8-27 sand and gravel, 27-32 clay, 32-62 sand and gravel.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 02/23/01 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 186. This Water Well Record was completed on (mo/day/yr) 03/05/01 under the business name of Kelly's Water Well Service, Inc. by (signature) Kathryn L. Wood