

1 LOCATION OF WATER WELL: County: Stafford	Fraction SE ¼ NE ¼ SW ¼	Section Number 11	Township Number T 21 S	Range Number R 11W EW
--	-----------------------------------	-----------------------------	----------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?
9N, 8E of Hudson, Ks.

2 WATER WELL OWNER: Eldo McFarland	Sterling Drilling Co.	Schafer A-8-11
RR#, St. Address, Box # : 116 W. Forest	P. O. Box 1006	Board of Agriculture, Division of Water Resources
City, State, ZIP Code : Sterling, Ks. 67578	Pratt, Ks. 67124	Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 65 ft. ELEVATION: unknown
--	--

N
W
E
S

Depth(s) Groundwater Encountered 1. **7** ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL **7** ft. below land surface measured on mo/day/yr **12/28/01**

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter. **8** in. to **65** ft., and. in. to ft.

WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	11 Injection well
2 Irrigation	4 Industrial	7 Domestic (lawn & garden)	10 Monitoring well	12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes. No; If yes, mo/day/yrs sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: <u>Glued</u> Clamped.
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter 5 in. to 45 ft., Dia in. to ft., Dia in. to ft.			Threaded.
Casing height above land surface 3 ft. below in., weight lbs./ft. Wall thickness or gauge No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	<u>7 PVC</u>
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)
			9 ABS
			10 Asbestos-cement
			11 Other (specify)
			12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
		7 Torch cut	10 Other (specify) ft.
SCREEN-PERFORATED INTERVALS: From 45 ft. to 65 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 20 ft. to 65 ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From 88X ft. to XXXX ft., From 20 ft. to 3 ft., From ft. to ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well?			How many feet?	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			65	XX 20	sand and gravel
			XX 20	3	bentonite
			3	0	top soil

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **12/28/01** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. **186**. This Water Well Record was completed on (mo/day/yr) **01/08/02** under the business name of **Kelly's Water Well Service, Inc.** by (signature) *Hathum L Good*