KOLAR Document ID: 1555256

				Division of Water				
		ge in Well Use Fraction		sources App. No		Well ID	a a Numban	
1 LOCATION OF WATER WELL: County:		1/4 1/4 1/4 1/4		ection Number	Township Numb		Range Number R □ E □ W	
2 WELL OWNER:	I act Name:		· ·	t or Rural Address where well is located (if unknown, distance and				
Business: direction from nearest town or intersection): If at owner's address, check here:								
Address:								
Address: City:	State	ZIP:						
3 LOCATE WELL	State:	1						
WITH "X" IN	4 DEPTH OF COM							
SECTION BOX:	Depth(s) Groundwater			Longitude:(decimal degrees)				
N		3) ft., or 4) ☐ TER LEVEL:			WGS 84 □ NA		VAD 27	
		, measured on (mo-day-			for Latitude/Longitude		,	
X - NW NE		, measured on (mo-day-						
	Pump test data: Well w			☐ Land Survey ☐ Topographic Map				
W E		s pumping		Online Mapper:				
SW SE		vater was f						
		after hours pumping gpm Estimated Yield:gpm			6 Elevation :ft. ☐ Ground Level ☐ TOC			
S	Bore Hole Diameter: in. to ft. and			Source: ☐ Land Survey ☐ GPS ☐ Topographic Map				
mile		in. to			Other			
7 WELL WATER TO BE USED AS:								
1. Domestic:		ater Supply: well ID			Field Water Supply: 1			
Household		ng: how many wells?			11. Test Hole: well ID			
☐ Lawn & Garden ☐ Livestock		echarge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical			
2. ☐ Irrigation					12. Geothermal: how many bores?			
3. ☐ Feedlot	9. Environmental Remediation: well ID				b) Open Loop Surface Discharge Inj. of Water			
4. ☐ Industrial	☐ Recovery				ner (specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:								
Water well disinfected? \square Yes \square No								
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other								
Casing diameter in. to ft., Diameter ft., Diameter ft., Diameter ft.								
Casing height above land surface in. Weightlbs./ft. Wall thickness or gauge No								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ PVC ☐ Other (Specify) ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
Nearest source of possil Septic Tank	ole contamination: No ☐ Lateral Line				a Insasti	aida Stamana		
Sewer Lines	☐ Cess Pool	Sewage La] Livestock Per] Fuel Storage		cide Storage oned Water		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well								
Other (Specify)								
10 FROM TO	LITHOLOG	GIC LOG	FROM	TO	LITHO. LOG (cont.) o	r PLUGGIN	G INTERVALS	
			+	+				
			Notes:					
11. CONTENT CHOOLIG OR LANDON THE CONTENT OF THE CO								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year)								
under the business name of								
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212								
Visit us at http://www.kdl	ieks.gov/waterwell/index.html					K	SA 82a-1212	