				WAT	ER WELL RECORD	Form WWC-5	KSA 82	a-1212				
		TER WELL:		Fraction		Sec	tion Number	Township Nu	mber	Range N	lumber	
County:	Staff	ord		SW	1/4 NW 1/4	SE 1/4	2	T 21	S	R 11W	EW)	
			town o	or city street	address of well if locat		•					
9E, 11	N of H	Iudson, K	ansa	ıs								
		NER:Kurt			Sterling D	rilling		Rugan	D-5			
•			_		0			•		Division of Wate	er Resource	
RR#, St. Address, Box # :Ellinwood, Kansas City, State, ZIP Code :67526								,	Board of Agriculture, Division of Water Resource Application Number: 900254			
AN "X"	IN SECTION	N BOX:	'' 4	DEPTH OF	COMPLETED WELL.	. 24	. π. ELEV	ATION:	**			
		<u>'                                     </u>	De	eptn(s) Groui	nawater Encountered	1. 57	π.	2	π. 3	6/9/	π. 90	
1	- ¦ -		W		O WATER ELVEL		DIOW IGING SE	made measured on	morady y			
<b> </b> -	- NW	NE	_		mp test data: Well wa							
	1	1			60. gpm: Well wa							
* w  -			Ł I		meterin. to					. to	<b>.</b> ft	
٤	-	! !	W		TO BE USED AS:	5 Public wate	r supply	8 Air conditioning		Injection well		
<b> </b> _	- sw	X SE		1 Domesti						Other (Specify		
	1	1	İ	2 Irrigation	1 4 Industrial	7 Lawn and g	arden only	10 Monitoring well				
L		ı	Wa	as a chemica	al/bacteriological sample	submitted to De	epartment? Y	′es <u>No.</u>	; If yes	, mo/day/yr sam	nple was su	
. –		S	mit	tted			W	ater Well Disinfected	l? Yes	No_		
TYPE C	F BLANK (	CASING USE	<b>)</b> :		5 Wrought iron	8 Concre	ete tile	CASING JOIL	VTS: Gluer	<u>d</u> Clam <sub>l</sub>	ped	
1 Ste	el	3 RMP	(SR)		6 Asbestos-Cement	t 9 Other	(specify belo	w)	Weld	led		
2 PV	<u>c</u>	4 ABS			7 Fiberglass				Threa	aded		
Blank casir	ng diameter	5	in.	to60	ft., Dia	in. to		ft., Dia		in. to	ft	
Casing hei	ght above la	and surface		12	in., weight	2.8	Ibs.	/ft. Wall thickness of	r gauge N	sch.	.40	
		R PERFORAT				7 PV			estos-ceme			
1 Ste	el	3 Stain	less ste	eel	5 Fiberglass		P (SR)					
2 Bra	ISS	4 Galva	anized	steel	6 Concrete tile	9 AB			e used (op			
		RATION OPE				zed wrapped		8 Saw cut	, acca (op	11 None (ope	en hole)	
	ntinuous slo		Mills			6 Wire wrapped			9 Drilled holes			
	vered shutt			punched	7 Toro	• •		10 Other (specify				
SCREEN-F	PERFORATI	ED INTERVAL	S:		60 ft. to							
					ft. to .							
G	RAVEL PA	CK INTERVA	LS:		20 ft. to							
					ft. to			om		to		
		.: 1 Ne			2 Cement grout	3 Bento		Other				
Grout Inter	vals: From	mQ	ft.	to 20	ft., From	ft.	to <i>.</i>	ft., From		ft. to	ft	
What is the	e nearest so	ource of possi	ble con	ntamination:			10 Live:	stock pens	14 A	bandoned wate	er well	
1 Sep	1 Septic tank 4 Lateral lines				7 Pit privy	7 Pit privy 11 Fuel			torage 15 Oil well/Gas well			
2 Sev	2 Sewer lines 5 Cess pool			8 Sewage la	goon	12 Fertilizer storage		16 Other (specify below)				
3 Wa	tertight sew	er lines 6 S	eepage	pit	9 Feedyard		13 Inse	cticide storage				
Direction fr	_				-		How ma	any feet?				
FROM	TO		-	LITHOLOGIC	CLOG	FROM	ТО		UGGING I	NTERVALS		
0	25	C1ay										
25	48	Sand	and	grave1	with clay stre	aks						
48	80	Sand	and	Grave1							-	
										<u> </u>		
						-						
					**************************************							
				20.00								
CONTO	ACTORIS (	D I ANDOM	VED'S	CERTIFICA	TION: This water"	woo (1) access	stad (0) == -	onotruoted of (0)	uggad	dor mu installat	on and	
					TION: This water well							
					90				t of my kn	owledge and be	elief. Kansa	
					This Water	Well Record wa	•		7/20	"/.2.Y		
nder the b	ousiness nai	me of Ke $11^{\cdot}$	v's V	water We	ell Service		by (signa	ature) Source	-12-			