

1 LOCATION OF WATER WELL	Fraction	Section Number	Township Number	Range Number
County: <u>Stafford</u>	NW <u>1/4</u> NW <u>1/4</u> NE <u>1/4</u>	<u>6</u>	T <u>21</u> S	R <u>11</u> EW

Distance and direction from nearest town or city? 6 1/4 miles south of Ellinwood, KS Street address of well if located within city?

2 WATER WELL OWNER: Robert Dannebohm
 RR#, St. Address, Box #: Route 2
 City, State, ZIP Code: Ellinwood, KS 67526
 Board of Agriculture, Division of Water Resources
 Application Number: Not Available

3 DEPTH OF COMPLETED WELL: 90 ft. Bore Hole Diameter: 20 in. to 90 ft., and in. to ft.

Well Water to be used as:

1 Domestic	3 Feedlot	5 Public water supply	8 Air conditioning	11 Injection well
2 Irrigation	4 Industrial	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
		7 Lawn and garden only	10 Observation well	

Well's static water level: 38 ft. below land surface measured on 4 month 24 day 1980 year

Pump Test Data: Well water was ft. after hours pumping. gpm

Est. Yield not ck'd gpm: Well water was ft. after hours pumping. gpm

4 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	Casing Joints: <u>Glued</u> X Clamped
2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
		7 Fiberglass		Threaded

Blank casing dia: 10 in. to 57 ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface: 12 in., weight 8.47 lbs./ft. Wall thickness or gauge No. 413

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	7 PVC	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify)
			9 ABS	12 None used (open hole)

Screen or Perforation Openings Are:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

Screen-Perforation Dia: 10 in. to 90 ft., Dia in. to ft., Dia in. to ft.

Screen-Perforated Intervals: From 57 ft. to 90 ft., From ft. to ft., From ft. to ft.

Gravel Pack Intervals: From 10 ft. to 90 ft., From ft. to ft., From ft. to ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grouted Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Cess pool	7 Sewage lagoon	10 Fuel storage	14 Abandoned water well
2 Sewer lines	5 Seepage pit	8 Feed yard	11 Fertilizer storage	15 Oil well/Gas well
3 Lateral lines	6 Pit privy	9 Livestock pens	12 Insecticide storage	16 Other (specify below)
	<u>Southwest</u>	<u>400'</u>	13 Watertight sewer lines	<u>Tank Batteries & Oil Well</u>

Direction from well: Southwest How many feet: 400' Water Well Disinfected? Yes No X

Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, date sample was submitted month day year: Pump Installed? Yes X No

If Yes: Pump Manufacturer's name: Berkeley Pump Co. Model No. 7S3M-1 HP 10 Volts 230

Depth of Pump Intake: 63 ft. Pumps Capacity rated at 500 gal./min.

Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 4 month 24 day 1980 year

and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185

This Water Well Record was completed on May month 14 day 1980 year under the business name of Clarke Well & Eq., Inc. by (signature) [Signature]

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
		0	10	Fine sand	68	73
	10	24	Tan sandy clay	73	75	Brown sandy clay/streaks of sand & gravel
	24	32	Light green clay			
	32	36	Tan & green sandy clay	75	77	Fine sand & fine gravel
	36	44	Tan sandy clay	77	81	Fine sand & gravel
	44	49	Tan sandy clay w/caliche streaks, streak of sand and gravel at 48'	81	89	Fine-med, sand & gravel w/strks brn sandy clay @ 81'-85'
	49	63	Sand & gravel, tan clay streak @ 55,57,62'	89	90	Fine-Med. sand & gravel
	63	68	Sand			

Depth(s) Groundwater Encountered 1. 38 ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

R

EWD

SEC

NW

1/4

NW

1/4

NE

