Site #22 (2)	11/01	ER WELL RECORD	Form WWC-5	KSA 82a-1212		· · · · · · · · · · · · · · · · · · ·	
LOCATION OF WATER WEL			Section	Number To	ownship Number	Range Number	er _~
County: Stafford	NW 1/4	SW 1/4 S	W 1/4 6	тт	21 s	R 12	€ ₩)
Distance and direction from nea 11 mi N, 2 mi	•		Street address	of well if located	within city?		
WATER WELL OWNER:		al Survey/Groun	dwater M ana	gement Dis	trict #5		· · · · · · · · · · · · · · · · · · ·
RR#, St. Address, Box #		,,		-	Board of Agriculture,	Division of Water Re	sources
City, State, ZIP Code :	St. John, Kansa	s 67576			Application Number:		
DEPTH OF COMPLETED V	VELL 211ft.	Bore Hole Diameter	9.7/8n. to.	211ft	., and	. in. to	ft
Well Water to be used as:	5 Public water	supply	8 Air conditionia	ng	11 Injection well		
1 Domestic 3 Feedlot	6 Oil field water		9 Dewatering		Other (Specia	fy below)	
2 Irrigation 4 Industrial	7 Lawn and ga		10 observation				
Well's static water level26							
	: Well water was. pm: Well water was			hours hours			gpm gpm
TYPE OF BLANK CASING		5 Wrought iron	8 Concrete ti	le	Casing Joints Glue	Clamped	
1 Steel 3	RMP (SR)	6 Asbestos-Cement	9 Other (spec	cify below)	Weld	ed	
(2) VC 4	ABS	7 Fiberglass				aded	
Blank casing dia5							
Casing height above land surfa	ice	in., weight		lbs./ft. Wall	thickness or gauge I	No Schd #304	0, , , ,
TYPE OF SCREEN OR PERF	ORATION MATERIAL:		⊘ vc		10 Asbestos-ceme	ent	
1 Steel 3	Stainless steel	5 Fiberglass	8 RMP (S	SR)			
	Galvanized steel	6 Concrete tile	9 ABS		12 None used (or	•	
Screen or Perforation Openings			ed wrapped	8 Sav	v cut	11 None (open ho	le)
1 Continuous slot	3 Mill slot	6 Wire v	vrapped		led holes		
	4 Key punched	7 Torch			er (specify)		
Screen-Perforation Dia 5							
Screen-Perforated Intervals:		ft. to211			ft. to		
					ft. to .		
Gravel Pack Intervals:	From 197	ft. to211			ft. to .		ft
	From	ft. to		From	ft. to		ft
	1 Neat cement	2 Cement grout					
		L70 ft., From					
What is the nearest source of				10 Fuel storage		bandoned water we	I
1 Septic tank	4 Cess pool	7 Sewage lago		11 Fertilizer stor		Dil well/Gas well	
				12 Insecticide st	orage 16 C	Other (specify below)	
2 Sewer lines	5 Seepage pit	8 Feed yard					
2 Sewer lines 3 Lateral lines	6 Pit privy	9 Livestock per	ns	13 Watertight se			
2 Sewer lines 3 Lateral lines Direction from well	6 Pit privy	9 Livestock per	ns 	13 Watertight se		(No)	
2 Sewer lines 3 Lateral lines Direction from well	6 Pit privy How sample submitted to De	9 Livestock per w many feet	ns 	13 Watertight se Water Well Di	sinfected? Yes	If yes, date	
2 Sewer lines 3 Lateral lines Direction from well	6 Pit privy How sample submitted to Demonth	9 Livestock per w many feet	ns	13 Watertight se Water Well Di No p Installed? Yes	sinfected? Yes	No	
2 Sewer lines 3 Lateral lines Direction from well	6 Pit privy How sample submitted to Demonth	9 Livestock per w many feet	ns ? year: Pum . Model No	13 Watertight se Water Well Di No	sinfected? Yes	No	sample
2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's na Depth of Pump Intake	6 Pit privyHow sample submitted to Demonth	9 Livestock per w many feet	nsyear: Pum . Model No	13 Watertight se Water Well Di No p Installed? Yes rated at	sinfected? Yes	No	sample
2 Sewer lines 3 Lateral lines Direction from well	6 Pit privy	9 Livestock per w many feet	nsyear: Pum . Model No Pumps Capacity 3 Jet	13 Watertight se Water Well Di No p Installed? Yes rated at 4 Centrifugal	sinfected? Yes	No	sample
2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted	6 Pit privy	9 Livestock per w many feet	nsyear: Pum . Model No Pumps Capacity 3 Jet as (1) constructed	Water Well Di No p Installed? Yes rated at 4 Centrifugal 1, (2) reconstruct	sinfected? Yes	No If yes, date	sample
2 Sewer lines 3 Lateral lines Direction from well	6 Pit privy How sample submitted to De month	9 Livestock per w many feet	year: Pum Model No Pumps Capacity 3 Jet	13 Watertight se Water Well Di No p installed? Yes rated at 4 Centrifugal 1, (2) reconstruct day 83	sinfected? Yes	No	sample
2 Sewer lines 3 Lateral lines Direction from well	6 Pit privy How sample submitted to De month ame Submersible DOWNER'S CERTIFICA' August est of my knowledge and	9 Livestock per w many feet	year: Pum Model No. Pumps Capacity Jet Pas 1 constructed	13 Watertight se Water Well Di No. p Installed? Yes rated at 4 Centrifugal 1, (2) reconstruct day 81 icense No.	sinfected? Yes	No	sample gal./min and was
2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's na Depth of Pump Intake Type of pump: 1 6 CONTRACTOR'S OR LAND completed on and this record is true to the b This Water Well Record was c	6 Pit privy How sample submitted to De month ame Submersible DOWNER'S CERTIFICA' August est of my knowledge and	9 Livestock per w many feet	year: Pum Model No. Pumps Capacity Jet as 1 constructed Vell Contractor's Lenonth. 2.7.	13 Watertight se Water Well Di No. p Installed? Yes rated at 4 Centrifugal 1, (2) reconstruct day 81 icense No.	sinfected? Yes	No If yes, date	sample gal./min and was
2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted	6 Pit privy	9 Livestock per w many feet	year: Pum. Model No. Pumps Capacity Jet vas 1 constructed Vell Contractor's L nonth. 2.7. by (signature)	Watertight se Water Well Di No p Installed? Yes rated at 4 Centrifugal 1, (2) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct d	5 Reciprocating ded, or (3) plugged until 183	No	sample gal./min. and was
2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's na Depth of Pump Intake Type of pump: 1 6 CONTRACTOR'S OR LAND completed on and this record is true to the b This Water Well Record was c	6 Pit privy How sample submitted to Demonth	9 Livestock per w many feet	year: Pum. Model No. Pumps Capacity Jet vas 1 constructed Vell Contractor's L nonth. 2.7. by (signature)	13 Watertight se Water Well Di No. p Installed? Yes rated at 4 Centrifugal 1, (2) reconstruct day 81 icense No.	5 Reciprocating ded, or (3) plugged until 183	No	sample gal./min. and was
2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's na Depth of Pump Intake Type of pump: 1 6 CONTRACTOR'S OR LAND completed on and this record is true to the b This Water Well Record was oname of 7 LOCATE WELL'S LOCATION	6 Pit privy How sample submitted to Demonth	9 Livestock per w many feet	year: Pum. Model No. Pumps Capacity Jet vas 1 constructed Vell Contractor's L nonth. 2.7. by (signature)	Watertight se Water Well Di No p Installed? Yes rated at 4 Centrifugal 1, (2) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct d	5 Reciprocating ded, or (3) plugged until 183	No	sample gal./min. and was
2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's na Depth of Pump Intake Type of pump: 1 6 CONTRACTOR'S OR LAND completed on and this record is true to the b This Water Well Record was coname of LOCATE WELL'S LOCATION WITH AN "X" IN SECTION	6 Pit privy How sample submitted to Demonth	9 Livestock per w many feet	year: Pum. Model No. Pumps Capacity Jet vas 1 constructed Vell Contractor's L nonth. 2.7. by (signature)	Watertight se Water Well Di No p Installed? Yes rated at 4 Centrifugal 1, (2) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct d	5 Reciprocating ded, or (3) plugged until 183	No	sample gal./min. and was
2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted	6 Pit privy How sample submitted to Demonth	9 Livestock per w many feet	year: Pum. Model No. Pumps Capacity Jet vas 1 constructed Vell Contractor's L nonth. 2.7. by (signature)	Watertight se Water Well Di No p Installed? Yes rated at 4 Centrifugal 1, (2) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct d	5 Reciprocating ded, or (3) plugged until 183	No	sample gal./min. and was
2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted	6 Pit privy How sample submitted to Demonth	9 Livestock per w many feet	year: Pum. Model No. Pumps Capacity Jet vas 1 constructed Vell Contractor's L nonth. 2.7. by (signature)	Watertight se Water Well Di No p Installed? Yes rated at 4 Centrifugal 1, (2) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct d	5 Reciprocating ded, or (3) plugged until 183	No	sample gal./min. and was
2 Sewer lines 3 Lateral lines Direction from well	6 Pit privy How sample submitted to Demonth	9 Livestock per w many feet	year: Pum. Model No. Pumps Capacity Jet vas 1 constructed Vell Contractor's L nonth. 2.7. by (signature)	Watertight se Water Well Di No p Installed? Yes rated at 4 Centrifugal 1, (2) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct d	5 Reciprocating ded, or (3) plugged until 183	No	sample gal./min and was
2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted	6 Pit privy How sample submitted to Demonth	9 Livestock per w many feet	year: Pum. Model No. Pumps Capacity Jet vas 1 constructed Vell Contractor's L nonth. 2.7. by (signature)	Watertight se Water Well Di No p Installed? Yes rated at 4 Centrifugal 1, (2) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct d	5 Reciprocating ded, or (3) plugged until 183	No	sample gal./min and was
2 Sewer lines 3 Lateral lines Direction from well	6 Pit privy How sample submitted to Demonth	9 Livestock per w many feet	year: Pum. Model No. Pumps Capacity Jet vas 1 constructed Vell Contractor's L nonth. 2.7. by (signature)	Watertight se Water Well Di No p Installed? Yes rated at 4 Centrifugal 1, (2) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct d	5 Reciprocating ded, or (3) plugged until 183	No	sample
2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted	6 Pit privy How sample submitted to Demonth	9 Livestock per w many feet	year: Pum. Model No. Pumps Capacity Jet vas 1 constructed Vell Contractor's L nonth. 2.7. by (signature)	Watertight se Water Well Di No p Installed? Yes rated at 4 Centrifugal 1, (2) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct d	Sinfected? Yes HP 5 Reciprocating ded, or (3) plugged und least the second se	No	sample gal./min and was
2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's not pepth of Pump Intake Type of pump: 6 CONTRACTOR'S OR LAND completed on and this record is true to the both this Water Well Record was coname of 7 LOCATE WELL'S LOCATION BOX:	6 Pit privy How sample submitted to Demonth	9 Livestock per w many feet	year: Pum. Model No. Pumps Capacity Jet vas 1 constructed Vell Contractor's L nonth. 2.7. by (signature)	Watertight se Water Well Di No p Installed? Yes rated at 4 Centrifugal 1, (2) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct day 1, (7) reconstruct day 1, (8) reconstruct day 1, (9) reconstruct day 1, (1) reconstruct day 1, (1) reconstruct day 1, (2) reconstruct day 1, (3) reconstruct day 1, (4) reconstruct day 1, (5) reconstruct day 1, (6) reconstruct d	Sinfected? Yes HP 5 Reciprocating ded, or (3) plugged und least the second se	No	sample gal./min and was
2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's na Depth of Pump Intake Type of pump: 1 CONTRACTOR'S OR LAND completed on and this record is true to the b This Water Well Record was on name of T LOCATE WELL'S LOCATION BOX: N N	6 Pit privy How sample submitted to Demonth	9 Livestock per w many feet	year: Pum. Model No. Pumps Capacity Jet vas 1 constructed Vell Contractor's L nonth. 2.7. by (signature)	Watertight se Water Well Di No p Installed? Yes rated at 4 Centrifugal (2) reconstruct day icense No.	Sinfected? Yes HP 5 Reciprocating ded, or (3) plugged und least the second se	No	sample gal./min and was
2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted	6 Pit privy How sample submitted to De	9 Livestock per w many feet	year: Pum. Model No. Pumps Capacity 3 Jet as (1) constructed Well Contractor's Lenonth. 2.7. by (signature)	13 Watertight set Water Well Di No p Installed? Yes rated at 4 Centrifugal 1, (2) reconstruct day 8.1 icense No.	Sinfected? Yes HP 5 Reciprocating ded, or (3) plugged und least the second se	No	sample

BIG BEND GMD#5-KGS WATER QUALITY OBSERVATION WELL NETWORK

SITE NUMBER : 22(KP4) SITE LOCATION: NW SW SW LEGAL LOCATION: 6-21-12W COUNTY : STAFFORD

WELL LOG

FROM	TO	LITHOLOGIC LOG OWNER: CAREY			
0	5	topsoil			
_5	14	gray silt			
14	16	tan clay & some gray silt, some fine sand			
16	21	tan clay			
21	32	very fine sand			
32	33	very lightish yellow/white clay			
33	43	gravel and very coarse sand			
43	44	gravel and tan clay			
44	48	very coarse sand & gravel, some clay(poss. above			
48	53	very coarse sand to coarse gravel			
53	57	same, but a trace of tan clay			
57	68	very coarse sand and gravel			
_68	87	same, occasional trace of tan/yellow clay			
87	90	same as 57-68'			
90	92	tan clay and gravel			
92	98	very coarse sand and gravel			
98	104	same, with yellow clay			
104	107	fine to med gravel, some yellow clay			
107	113	coarse sand/med gravel, tan clay			
113	119	yellow brown clay			
119	151	med to coarse sand/fine gravel			
151	152	gray clay and sand			
152	153	coarse sand			
153	158	tan and yellow clay			
158	178	same, with occasional gravel zones			
178	190	tan clay, fine sand			
190	21625	coarse sand and gravel			
216	236	redbed PERMIAN shale			
		(N)			
		$\begin{pmatrix} 3 \end{pmatrix} \begin{pmatrix} 2 \end{pmatrix} \begin{pmatrix} 1 \end{pmatrix}$			
		35'/10' 206'/5' 231'/5'			
		TD=45' TD=211' TD=236'			

215

SITE NUMBER : 22 (KP4)

SITE LOCATION : NW SW SW

LEGAL LOCATION: SEC6 T21S R12W

COUNTY : STAFFORD

LANDOWNER: FRANCIS CAREY

ADDRESS : 112 East 2nd

ELLINWOOD, KANSAS 67526

PHONE NO.: 316-564-2567

