WATER	R WELL	RECORD	Form WWC-	5	Division	of Water	Resources; App. No.		
1 LOCATION OF WATER WELL: County: Stafford			1/4 NC 1/4 I	-	Section N 23			Range Number R 12 E W	
Distan within Huds	city? App	ction from nearest town or city s proximately 7 1/4 miles nor	street address of well if looth and 2 3/4 miles ea	cated ast of	Global Po Latitude: Longitud	38.2		grees, min. of 4 digits)	
2 WATER WELL OWNER: Monte E. Widener						Elevation: Unknown			
		ss, Box # : 310 W. 3rd			Datum: NAD83				
City,	State, ZIP	Code : Ellinwood, KS	67526-1506		Data Col	lection 1	Method: WAAS GP	S Unit	
3 LOCA	TE WEI	L'S 4 DEPTH OF COM	PLETED WELL	14	46	ft.			
LOCA WITH	ATION H AN ''X'' TION BOX N 	Depth(s) Groundwate WELL'S STATIC W Pump test da Est. Yield Unknown gp WELL WATER TO 1 Domestic 3 2 Irrigation 4	er Encountered (1) ATER LEVEL 38 Ita: Well water was Norm: Well water was BE USED AS: 5 Pul Feedlot 6 Oil fie Industrial 7 Dome eriological sample subr	5 fi ot checke blic water eld water s	ft. t. below lar ed ft. after ft. after supply supply a & garden)	(2) ad surface 8 Air o 9 Dew 10 Mon	hours pumpinghours pumpinghours pumping	gpm gpm gpm (njection well Other (Specify below)	
	s		ed						
Blank ca Casing h TYPE Of 1 2 SCREEN	E OF CAS Steel 3 PVC 4 sing diame eight abov F SCREEN Steel (Brass I OR PER Continuou	RMP (SR) 6 Asbested ABS 7 Fibergle ter 16 in. to 97 e land surface 12 N OR PERFORATION MAT 3 Stainless Steel 5 Fit 4 Galvanized Steel 6 Co FORATION OPENINGS AR s slot 3 Mill slot	ht Iron 8 Compos-Cement 9 Others Strain, weight 19 ERIAL: perglass 7 PVC concrete tile 8 RM (S.E. 5 Gauzed wrapped 7	ncrete tilder (speci 16 1.75 9 SR) 10	fy below) in. to 12 lbs./ft. W ABS Asbestos-	CASING 21 ft., all thick Cement	Welded Welded Threaded Threaded No. 11 Other (Specify) 12 None used (open hose)	Clamped d in. to ft616 hole)	
2	Louvered	shutter 4 Key punched	6 Wire wrapped 8	Saw Cut	10 Ot	her (Spec	ify)		
SCREEN	N-PERFOI	RATED INTERVALS: From	97 ft. to	10	6 ft.,	From	ft. to	It.	
		From	121 ft. to	14	.5 ft.,	From	ft. to	It.	
(GRAVEL	PACK INTERVALS: From	24 ft. to	14	.5 ft.,	From	it. to	II.	
6 GROU	T MATE	PACK INTERVALS: From PACK INTERVALS: From From RIAL: 1 Neat Cement (2)	Cement grout 3 Ber	ntonite	4 Other	FIUII	11. 10	11.	
Grout In What is to 1 Seption 2 Sewer	ntervals: he nearest so tank r lines	From 0 ft. to ource of possible contamination 4 Lateral lines 7 5 Cess pool 8	24 ft., From Pit privy 1 Sewage lagoon 1	0 Livesto	ft. to	f 13 Inse 14 Aba	t., From	ft. toft. (16) Other (specify below) None known	
	rtight sewer	lines 6 Seepage pit 9	i coayara	How man	•	15 011			
FROM	TO	LITHOLOGIC L		FROM	•	<u> </u>	PLUGGING INTI	ERVALS	
0	2	Topsoil							
2	12	Sand							
12	32	Clay and sand, fine					1/24/5		
32	66	Clay, brown, caliche, sar	ndy						
66	77	Sand and clay, fine		ļ					
77	82	Sand and gravel, fine, m							
82	97	Sand and gravel, fine, medium		<u> </u>					
97	115	Sand and gravel, fine, m	edium	ļ					
115	121	Clay, tan, with gravel	adiona with alast	-					
121	145	Sand and gravel, fine, m	edium, with clay	 					
7 CONT under my	RACTOR jurisdiction	streaks, yellow L'S OR LANDOWNER'S Contain and was completed on (mo/day	/· J						
						ipleted on	(mo/day/year)	0-10-07	
		ame of Clarke Well & Equip			(signature)	Um	el W Clore	Le Contraction	
INSTRUC'	TIONS: Use	typewriter or ball point pen. <u>PLEAS</u> ment of Health and Environment, B	<u>SE PRESS FIRMLY</u> and <u>PRINT</u> Court of Water, Geology Sec	ction, 1000	ease fill in bla SW Jackson	nks, under St., Suite	nne or circle the correct ar 420, Topeka, Kansas 6661	2-1367. Telephone	
785-296-55	522. Send on	e to WATER WELL OWNER and	retain one for your records.	Fee of \$5.0	00 for each co	nstructed v	vell.	-	