		WA	TER WELL RI	CORD	Form	WWC-5	KSA 8	2a-1212	ID No	D				
1 LOCATION OF WATER WELL:			Fraction					Section Number		Township Number		Range Number		
County:	Staffor	:d	SE	1/4 NW	1/4	SE	1/4	14		T 21	s	_R 13w	E/W	
Distance a	nd direction	from nearest tov	vn or city stree	t address	of well	if located	within city	?			·			
1/2E	, 3N, 3E	of Sewar	d, Ks.				•							
2 WATER	R WELL OW	NER: Leo J	. Hall			Ster1	ing Dr	lling	Comp	any	Hall (1-14		
— BB#StA	ddress, Box	# RR 2,	Box 40				Box 10	_	-	_	Agricultura Di	vision of Water I	Docouroos	
	, ZIP Code	" .	Bend, Ka	s. 675			, Ks. (Application	on Number: 4	20040045	nesources	
										rion:unkno	wn			
	N SECTION		Depth(s) Gro	undwatar	Encour	torod	1 1	7	#	2	# 2	••••••••••••••••••••••••	44	
, ,	N									e measured on i				
	!	1	F	ump test	data:	Well water	er was		ft. a	ifter	hours pu	mping	apm	
_	-NW	- NE	Est. Yield	08.	gpm: \	Well wate	er was		ft. a	ıfter	hours pu	mping	gpm	
	1400	145	WELL WATE				Public wat			8 Air condition		ection well		
w	i	E	1 Domes 2 Irrigatio	_	Feedlot Industri		Oil field wa			 Dewatering Monitoring w 		her (Specify bel	low)	
VV	J	E	2 imganc	711 4	mausui	aı /	Domestic	iawii a ga	ilden)	TO MONITORING W	eli	•••••••••••		
	0147	$X_{-}^{'}$												
SW														
	<u>'</u>	mittea	mitted Water Well Disinf							cted? Yes	N	0		
	S													
5 TYPE	OF BLANK (CASING USED:		5 Wr	ought ire	on	8 Cor	crete tile		CASING J	OINTS: Glued	Clampe	ed	
1 Steel 3 RMP (SR)			•			9 Other (specify be					ed			
2 PVC 4 ABS Blank casing diameter					,		********					ded		
					, weight	A	. . .8			lbs./ft. Wall thick	ness or guage	No SCn. 4	<u></u>	
TYPE OF SCREEN OR PERFORATION MATERIAL:								PVC			10 Asbestos-Cement			
1 Steel 3 Stainless Steel 2 Brass 4 Galvanized Steel					5 Fiberglass6 Concrete tile			8 RMP (SR) 9 ABS						
2 Bras				6 C0	ilciete ti	ıe	9	ADS		12 1	lone used (ope	,		
		RATION OPENIN					zed wrappe	ed		8 Saw cut		11 None (open	hole)	
	tinuous slot		lill slot			6 Wire	wrapped			9 Drilled hole			f+	
	vered shutte		ey punched							, ,	• •			
SCREEN-	PERFORATI	ED INTERVALS:								•••••				
	GRAVEL PAI	CK INTERVALS								•••••				
	OI INVEL I A	OKTIVILITYALO	From	∠∪		. ft. to	لي.،/.	ft.	. From		ft. to		ft	
									,					
	JT MATERIA		t cement		Cement :	•				Other				
Grout Inte	rvals: Fror	n Q	ft. to2	Q	ft., From	n		t. to		ft., From		. ft. to	ft.	
What is the	e nearest so	urce of possible	contamination	:				10	Livest	ock pens	14 Ab	andoned water	well	
1 Sep	1 Septic tank 4 Lateral lines				7 Pit privy			11 Fu		torage	15 Oi	l well/Gas well		
2 Sewer lines 5 Cess pool				8 Sewage lage			lagoon	oon 12 Fertili		er storage	16 Ot	Other (specify below)		
3 Watertight sewer lines 6 Seepage pit				9 Feedyard			d	13 Insecticide sto						
Direction for	rom well?	North					How many feet?							
FROM	ТО		LITHOLOG	IC LOG			FROM	ТО		Р	LUGGING INT	ERVALS		
0	3	top soi	7											
3	15	clay												
15	17	fine sa	and											
17	35	clay	****											
35	75	_	nd gravel											
		Salu ai	id graver											
								-						
	+								-					
					-									
							 							
							-							
7														
7 CONTR	ACTOR'S C	PR LANDOWNE	R'S CERTIFIC	CATION: 1	his wat	er well w	ras (1) con	structed, ((2) reco	nstructed, or (3)	plugged unde	er my jurisdiction	n and was	
completed (on (mo/day/y	ear) 0.2./. 2	26/04					and	this red	nstructed, or (3)	best of my kno	wledge and beli	ef. Kansas	
completed Water Well	on (mo/day/y Contractor's	ear) 0.2./. 2	26/04 186		TI	his Water	······································	and	this red impleted	nstructed, or (3) cord is true to the d on (mo/day/yr) signature)	best of my kno	owledge and beli	ef. Kansas	