

1 LOCATION OF WATER WELL: County: Stafford	Fraction NE 1/4 SW 1/4 NE 1/4	Section Number 33	Township Number T 21 S	Range Number R 13W E/W
--	---	-----------------------------	----------------------------------	----------------------------------

Distance and direction from nearest town or city street address of well if located within city?
1 1/2E of Seward, KS

2 WATER WELL OWNER: Ralph Stalcup	Sterling Drilling Company	RLS #2
RR#, St. Address, Box # : 3218 Main St.	P. O. Box 1006	Board of Agriculture, Division of Water Resources
City, State, ZIP Code : Great Bend, KS 67530	Pratt, KS 67124	Application Number: 20040163

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 94 ft. ELEVATION: unknown
--	---

N
W E
S

Depth(s) Groundwater Encountered 1 **20** ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL **20** ft. below land surface measured on mo/day/yr **07/19/04**

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield **60** gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Domestic (lawn & garden)
		9 Dewatering
		12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes **No**; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	10 Asbestos-Cement
Blank casing diameter 5 in. to 7.4 ft., Dia in. to ft., Dia in. to ft.		Casing height above land surface 12 in., weight 2.8 lbs./ft. Wall thickness or guage No. Sch. 40	
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC	10 Asbestos-Cement
1 Steel	3 Stainless Steel	8 RMP (SR)	11 Other (Specify)
2 Brass	4 Galvanized Steel	9 ABS	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	8 Saw cut
1 Continuous slot	3 Mill slot	6 Wire wrapped	11 None (open hole)
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify) ft.
SCREEN-PERFORATED INTERVALS: From 7.4 ft. to 9.4 ft., From ft. to ft.		GRAVEL PACK INTERVALS: From 20 ft. to 9.4 ft., From ft. to ft.	

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.	What is the nearest source of possible contamination:			
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? East	How many feet? 110			

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	12	top sand			
12	55	clay			
55	65	fine sand			
65	94	sand and gravel			

RECEIVED
AUG 31 2004
BUREAU OF WATER

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 07/19/04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 186 This Water Well Record was completed on (mo/day/yr) 07/31/04 under the business name of Kelly's Water Well Service, Inc. by (signature) <i>Kathryn A. Good</i>
--