

1 LOCATION OF WATER WELL: County: Stafford	Fraction NW 1/4 NW 1/4 NW 1/4	Section Number 26	Township Number T 21 S	Range Number R 13w E/W
--	---	-----------------------------	----------------------------------	----------------------------------

Distance and direction from nearest town or city street address of well if located within city?
3 1/2E, 1N of Seward, KS

2 WATER WELL OWNER: Leo J. Hall	Sterling Drilling Company	Hall F 1-26
RR#, St. Address, Box # : RR 2, Box 40	P. O. Box 1006	Board of Agriculture, Division of Water Resources
City, State, ZIP Code : Great Bend, KS 67530	Pratt, KS 67124	Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 92 ft. ELEVATION: unknown
--	---

Depth(s) Groundwater Encountered 1 **15** ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL **15** ft. below land surface measured on mo/day/yr **09/03/04**

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield **80** gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 <u>Oil field water supply</u>
2 Irrigation	4 Industrial	7 Domestic (lawn & garden)
		9 Dewatering
		10 Monitoring well
		12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes **No** ; If yes, mo/day/yr sample was submitted
Water Well Disinfected? **Yes** No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<u>2 PVC</u>	4 ABS	7 Fiberglass
Blank casing diameter 5 in. to 72 ft., Dia in. to ft., Dia in. to ft.		 Welded
Casing height above land surface ... 3 ft. below in., weight lbs./ft. Wall thickness or gauge No. Threaded
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-Cement	
1 Steel	3 Stainless Steel	5 Fiberglass	<u>8 RMP (SR)</u>
2 Brass	4 Galvanized Steel	6 Concrete tile	9 ABS
			11 Other (Specify)
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	<u>8 Saw cut</u>	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 72 ft. to 92 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 31 ft. to 45 ft., From 50 ft. to 92 ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	<u>3 Bentonite</u>	4 Other
GROUT INTERVALS: From 60 ft. to 3 ft., From ft. to ft., From ft. to ft.				
What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well		
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	
Direction from well?		How many feet?		

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			92	60	sand and gravel
			60	3	bentonite
			3	0	top soil
RECEIVED					
OCT 28 2004					
BUREAU OF WATER					

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) <u>plugged</u> under my jurisdiction and was completed on (mo/day/year) 09/03/04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 186 This Water Well Record was completed on (mo/day/yr) 09/08/04 under the business name of Kelly's Water Well Service, Inc. by (signature) <i>Kathryn L. Good</i>
