

1	LOCATION OF WATER WELL: Fraction	Section Number	Township Number	Range Number
County: Stafford	Near 1/4 Center 1/4 SW 1/4	24	T 21 S	R 13 X/W

Distance and direction from nearest town or city street address of well if located within city?

2-1/4 miles North & 4 miles East of Seward, Ks.

2	WATER WELL OWNER: Leo Hall	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	Rt. 2 Box 40	Application Number:
City, State, ZIP Code :	Great Bend, Ks. 67530	

3	LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4	DEPTH OF COMPLETED WELL 73 ft. ELEVATION:
		Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 18 ft. below land surface measured on mo/day/yr 5/11/05 Pump test data: Well water was ft. after hours pumping gpm Est. Yield 50 gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) X <u>Monitoring well</u>	
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No	

5	TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded
X PVC	4 ABS	7 Fiberglass		Threaded
Blank casing diameter 2 in. to 68 ft., Dia in. to ft., Dia in. to ft.				
Casing height above land surface 12 in., weight 703 lbs./ft. Wall thickness or gauge No. 154				
TYPE OF SCREEN OR PERFORATION MATERIAL:		X PVC	10 Asbestos-Cement	
1 Steel	3 Stainless Steel	5 Fiberglass	8 RMP (SR)	11 Other (Specify)
2 Brass	4 Galvanized Steel	6 Concrete tile	9 ABS	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	X Mill slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)	ft.
SCREEN-PERFORATED INTERVALS: From 68 ft. to 73 ft., From ft. to ft.				
GRAVEL PACK INTERVALS: From 20 ft. to 73 ft., From ft. to ft.				

6	GROUT MATERIAL:	1 Neat cement	2 Cement grout	X 3 Bentonite	4 Other
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination: None within 1/4 mile					
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well	
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well	
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)	
Direction from well?					How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Topsoil			
3	6	Clay, gray			
6	16	Clay, tan			
16	64	Sand, fine to coarse			
64	73	Sand, fine			
73	--	Clay, brown			

7	CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5/11/05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 138 This Water Well Record was completed on (mo/day/yr) 5/25/05 under the business name of Peterson Irrigation, Inc. by (signature) <i>Mike Peterson</i>
---	--

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.