


1 LOCATION OF WATER WELL: County: Stafford	Fraction NE 1/4 SW 1/4 SE 1/4	Section Number 11	Township Number T 21 S	Range Number R 13W E/W
--	---	-----------------------------	----------------------------------	----------------------------------

Distance and direction from nearest town or city street address of well if located within city?
3 1/2E, 4N of Seward, KS

2 WATER WELL OWNER: Leo Hall	L. D. Drilling, Inc	Hall #1-11
RR#, St. Address, Box # : RR 2	7SW 26th Ave.	Board of Agriculture, Division of Water Resources
City, State, ZIP Code : Great Bend, KS 67530	Great Bend, KS 67530	Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 95 ft. ELEVATION: Unknown
--	---



Depth(s) Groundwater Encountered 1 **15** ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL **15** ft. below land surface measured on mo/day/yr **01/27/06**

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield **60** gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic water	6 Oil field water supply	9 Dewatering
2 Irrigation	4 Industrial	7 Domestic (lawn & garden)
3 Feedlot	10 Monitoring well	12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile
1 Steel	3 RMP (SR)	9 Other (specify below)
2 PVC	4 ABS	
	7 Fiberglass	
Blank casing diameter 5 in. to 7.5 ft., Dia in. to ft., Dia in. to ft.	CASING JOINTS: Glued Clamped Welded Threaded	
Casing height above land surface 3 ft. below in., weight 2.8 lbs./ft. Wall thickness or gauge No. Sch. 40		
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-Cement
1 Steel	8 RMP (SR)	11 Other (Specify)
2 Brass	9 ABS	12 None used (open hole)
3 Stainless Steel		
4 Galvanized Steel		
5 Fiberglass		
6 Concrete tile		
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut
1 Continuous slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	7 Torch cut	10 Other (specify) ft.
3 Mill slot		11 None (open hole)
4 Key punched		
SCREEN-PERFORATED INTERVALS: From 75 ft. to 95 ft., From ft. to ft.		
GRAVEL PACK INTERVALS: From 23 ft. to 95 ft., From ft. to ft.		

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout
	3 Bentonite	4 Other
GROUT INTERVALS: From 3 ft. to 28 ft., From ft. to ft., From ft. to ft.		
What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well
1 Septic tank	7 Pit privy	11 Fuel storage
2 Sewer lines	8 Sewage lagoon	12 Fertilizer storage
3 Watertight sewer lines	9 Feedyard	13 Insecticide storage
4 Lateral lines		16 Other (specify below)
5 Cess pool		
6 Seepage pit		
Direction from well?	How many feet?	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			95	28	sand and gravel
			28	3	bentonite
			3	0	top soil

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **01/27/06** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No **186** This Water Well Record was completed on (mo/day/yr) **01/30/06** under the business name of **Kelly's Water Well Service, Inc.** by (signature) *Kathryn R. Wood*

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.