LOCATION OF WATER WELL: Fraction Set SW N SE N N Set SW Set SW N Set SW SW SW SW SW SW SW S	WATER WELL RECORD	Form WV	NC-5	Division of Water	Resources App. No	0.	
Streek				ection Number	Township No.	Range Number	
Second Content Form Second Content Form Second Content Second							
J&R SERVICE, 1ST STREET, SEWARD, KS	from nearest town or intersection: If at owner's address, check here . Latitude:38,1.7444						
Devatering Casing diameter	· —			Longitude: 98./9633 (in decimal degrees)			
2 WATER WELL OWNER: KDHE-BER RRB, Street Address, Box #, 1000 SW JACKSON STSTE.#410 City, State, ZIP Code TOPEKA.KS 66612-1367 City, State, ZIP Code T				Elevation: 1912.34			
RR#, Street Address, Box #: 1000 SW JACKSON ST.STE.#410	2 WATER WELL OWNER, WOLLE DED						
City, State, ZIP Code							
SECTION BOX: SECTION BOX: Septis STATIC WATER LEVEL 19:55 ft. below land surface measured on mo/day/yr. Pump test data: Well water was ft. after hours pumping. gpm EST. YIELD gpm. Well water was ft. after hours pumping. gpm EST. YIELD gpm. Well water was ft. after hours pumping. gpm EST. YIELD gpm. Well water was ft. after hours pumping. gpm EST. YIELD gpm. Well water was ft. after hours pumping. gpm EST. YIELD gpm. Well water was ft. after hours pumping. gpm Geothermal Injection well Domestic Geothermal Domestic Geothermal Domestic Geothermal Injection well Well water was a chemical/bacteriological sample submitted to Department? Yes No No No No No No No N	C't- C-t- 7TD C-1-			Digital Man/Photo Tonographic Man II and Survey			
A DEPTH OF COMPLETED WELL 28.0	Chy, Siane, 211 Code .	OPEKA,KS 66612-1367	E	st. Accuracy:	3 m, \square 3-5 m, \square	5-15 m. $\square > 15$ m	
SECTION BOX: N WELL'S STATIC WATER LEVEL. 19.55. ft. below land surface measured on mo/day/yr. Pump test data: Well water was ft. after	3 LOCATE WELL						
WELL'S STATIC WATER LEVEL. 19.55. fb. below land surface measured on mo/daylyr. Pump test data: Well water was fb. after	WITH AN "X" IN 4 DEPT	AN "X" IN 4 DEPTH OF COMPLETED WELL 28.0 ft.					
Pump test data: Well water was ft. after hours pumping gpm BST, YIELD gpm. Well water was ft. after hours pumping gpm gpm BST, YIELD gpm. Well water was ft. after hours pumping gpm gpm BOre Hole Diameter in. to ft. and in. to ft. ft. in. to ft. gpm gpm lonestic ft. and in. to ft. gpm gpm lonestic gpm gpm lonestic ft. and in. to ft. gpm gpm lonestic gpm gpm gpm lonestic gpm	SECTION BOX: Depth(s)	X: Depth(s) Groundwater Encountered (1).~2U					
No. No. No. Bore Hole Diameter No. No. R. Geothermal Direction well Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Other (Specify below) No.	WELL'S	WELL'S STATIC WATER LEVEL!9.55ft. below land surface measured on mo/day/yr					
Bore Hole Diameter in. to							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well MW17. Was a chemical/bacteriological sample submitted to Department? Yes No If yes, modaylyr sample was submitted. Water well disinfected? Yes No No STYPE OF CASING USED: Steel PVC Other CASING JOINTS: Give Clamped Welded Threaded Casing diameter .2' in. to .18' ft, Diameter in. to ft, Diameter in. to .18' ft, Diameter in. to ft, Weight Ibs./ft, Wall thickness or gauge No. Sch. 49.P.V.G. TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify) SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) SCREEN PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Saw cut Other (specify) SCREEN PERFORATED INTERVALS: From .18 ft. to .28 ft., From ft. to ft. From ft. to ft. From ft. to .28 ft., From ft. to ft. From ft. to ft. From ft. to ft. ft. From ft. to ft. ft. ft. ft	14 A 14D						
SW SE							
Irrigation Industrial Domestic-lawn & garden Monitoring well MW17 S Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted	Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
Was a chemical/bacteriological sample submitted to Department? Yes No	SW SE Domestic Feedlot Domestic-lawn & garden Downstring well MW17						
S If yes, mo/day/yr sample was submitted. Water well disinfected? Yes No No	Was a chemical/bacteriological sample submitted to Department? \(\sigma\) Yes \(\sigma\) No						
Water well disinfected? Yes No							
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter							
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter	5 TVPE OF CASING USED:	Steel VPVC DO	ther				
Casing diameter 2.' in. to .18' ft, Diameter in. to ft, Diameter in. to ft, Casing height above land surface 51.6 in., Weight lbs./ft, Wall thickness or gauge No Sch. 49.PVC TYPE OF SCREEN OR PERFORATION MATERIAL: Steel				•	••••		
Casing height above land surface. :5:15. in., Weight	Casing diameter 2' in to 18' ft. Diameter in to ft. Diameter in to ft.						
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)	Casing height above land surface.	-5.16 in., Weight		bs./ft., Wall thic	kness or gauge N	o. Sch. 40 PVC	
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 18		ATION MATERIAL:					
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Other (specify) SCREEN-PERFORATED INTERVALS: From	☐ Steel ☐ Stainless Steel	✓ PVC	Oth	her (Specify)		•••••	
Continuous slot			ole)				
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)	SCREEN OR PERFORATION OPP	ENINGS ARE:	Torch out	Deillad halas	□ None (ones hal	۵)	
SCREEN-PERFORATED INTERVALS: From18	☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)						
From ft. to ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From .16 ft. to .28 ft., From ft. to ft. From ft. to .28 ft., From ft. to ft. From ft. to .28 ft., From ft. to ft. From ft. to ft. GROUT MATERIAL: Neat cement Cement grout Dentities Cement grout Dentities Cement grout Dentities Cement grout Cement grout Dentities Cement grout	SCREEN PERFORATED INTERVALS. From 18 ft to 28 ft From ft to 4						
GRAVEL PACK INTERVALS: From16							
From	GRAVEL PACK INTERVALS: From. 16 ft. to 28 ft. From ft. to ft. to						
Grout Intervals: From .1	From						
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Sewage lagoon Sewage lagoon Sewage lagoon Sewage lagoon Sewage lagoon Sewage lagoon Seepage pit Feedyard Distance from well TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG MW13 CLAY, SANDY 1 3 CLAY, SANDY 20 28 SAND, CLAYEY, VERY FINE TO MEDIUM 20 28 SAND, CLAYEY, VERY FINE TO FINE MW17	6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other						
Septic tank	Grout Intervals: From .1						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Lust Site Direction from well Distance from well Lust Site Distance from well Distance from well Lust Site Distance from well Distance from well	1 —						
Watertight sewer lines Seepage pit Feedyard Distance from well Distance from well Distance from well Seepage Distance from Well S							
Distance from well Distanc							
FROM TO LITHOLOGIC LOG FROM TO LITHOL LOG (cont.) or PLUGGING INTERVALS 0 1 CRUSHED ROCK 1 13 CLAY,SANDY 13 20 SAND,CLAYEY,VERY FINE TO MEDIUM 20 28 SAND,CLAYEY,VERY FINE TO FINE							
0 1 CRUSHED ROCK 1 1 13 CLAY,SANDY 1 13 20 SAND,CLAYEY,VERY FINE TO MEDIUM 1 20 28 SAND,CLAYEY,VERY FINE TO FINE MW17							
1 13 CLAY,SANDY 13 20 SAND,CLAYEY,VERY FINE TO MEDIUM 20 28 SAND,CLAYEY,VERY FINE TO FINE MW17		CK					
20 28 SAND,CLAYEY,VERY FINE TO FINE MW17	1 13 CLAY, SANDY						
MW17							
	20 28 SAND,CLAYEY,	VERY FINE TO FINE					
7 CONTRACTOR'S OR I ANDOWNED'S CERTIFICATION. This water well was 17 constructed or 12 plugged					MW17		
7 CONTRACTOR'S OR I ANDOWNED'S CERTIFICATION. This water well was 17 constructed or 12 plugged		***					
7 CONTRACTOR'S OR I ANDOWNED'S CERTIFICATION. This water well was 17 constructed or 12 plugged							
7 CONTRACTOR'S OR I ANDOWNED'S CERTIFICATION. This water well was 17 constructed or 12 plugged							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 17 constructed or nlugged							
	7 CONTRACTORS OR LANDO	WNED'S CEDTIFIC ATIO	N. This water w	vell was M constr	ucted Trecorsts	noted or Dislugged	
under my jurisdiction and was completed on (mo/day/year) .12/16/2014 and this record is true to the best of my knowledge and belief.	under my jurisdiction and was comm	verted on (mo/day/year) 12/10	6/2014 and the	his record is true t	to the best of my l	cnowledge and helief	
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mo/day/year) .02/11/2014	Kansas Water Well Contractor's Liv	cense No. 594 This V	Vater Well Reco	ord was completed	on (mo/dav/vear	02/11/2014	
under the business name of Coranco Great Plains, Inc. by (signature)	under the business name of Corar	nco Great Plains, Inc.	h	oy (signature)	mil	/ <i>/</i>	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and sheek the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							