WATE	R WEI	L RECORD	Form WV	VC-5	Divi	ision of Wate	r Resources App. N	o.		
		OF WATER WELL:	Fraction SE ¼ SW ¼ SE	¼ SW ¼	Section		Township No. T 21 S			
		Address of Well Location;		Global Positioning System (GPS) information:						
	from nearest town or intersection: If at owner's address, check here .						Latitude: .38,17463(in decimal degrees)			
J&R	J&R SERVICE, 1ST STREET, SEWARD, KS					Longitude: 98.79667 (in decimal degrees)				
						Elevation: .1912.22 Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: KDHE-BER					Collection Method:					
	RR#, Street Address, Box #: 1000 SW JACKSON STSTE.#410					GPS unit (Make/Model:)				
City,	State, Z	IP Code : TOPEK	A.KS 66612-1367		☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey					
Est. Accuracy: <3 m, 3-5 m, 5-15 m, >15 m										
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 28.0 ft.										
SECT	TON BO	BOX: Depth(s) Groundwater Encountered (1).720'								
	N WELL'S STATIC WATER LEVEL. 19.44									
Pump test data: Well water wasft. after hours pumping gpm										
NV	WNW NE E EST. YIELDgpm. Well water wasft. after									
W E Bore Hole Diameter										
ow on Domestic Feedlot Oil field water supply Dewatering Other (Specify below)										
was a chemical/bacteriological sample submitted to Department? Yes VINO										
S If yes, mo/day/yr sample was submitted										
Water went distincted. 1 103 Kg 110										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: Glued Clamped Welded Threaded Cosing diameter 2' in to 18' ft Diameter in to ft Diameter in to ft										
Casing diameter .2' in. to .18' ft., Diameter in. to										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)										
SCREEN-PERFORATED INTERVALS: From										
From										
GRAVEL PACK INTERVALS: From										
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other										
Grout Intervals: From .1										
What is the nearest source of possible contamination:										
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)										
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Lust Site										
		n well								
FROM	TO	LITHOLOG		FROM	TO			JGGING INTERVALS		
0	1	TOP SOIL								
1	6	CLAY,SAND, (FILL)								
6	8	SAND, CLAYEY, VERY	FINE TO MEDIUM							
8	12 22	CLAY, SANDY SAND, CLAYEY, VERY	FINE TO MEDILIM		-		MW15			
12	28	SAND, CLAYEY, VERY					IVIVVIO			
22	20	OAND, OLATET, VEINT	THE TOTHE							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged										
under my jurisdiction and was completed on (mo/day/year) .12/16/2014 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mo/day/year) 02/11/2014										
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies										
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.										
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.										
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy										